

# Eltako Professional Smart Home – The intelligent system in the building







3

### **Eltako Professional Smart Home**

## That's why our Smart Home is "professional"

#### 70 years of experience in smart building systems

The name of Eltako has stood for performance and inventiveness for over 70 years – for a high level of capabilities and quality in the development and production of innovative products for building installation and control systems.

#### Safe investment

Every day, totally new manufacturers launch new Smart Home solutions on the market. But can they offer them with a clear conscience to their long-term customers? Do you know whether the components in their devices meet your quality demands? Do you know whether these companies will continue to exist in future — and this also applies to spare parts?

Our name stands for tradition and quality. When you opt for **Eltako Professional Smart Home,** you choose a system which was developed based on many years of experience and which has a reliable future.

#### **EnOcean wireless standard**

**Eltako Professional Smart Home** is based on the world-wide EnOcean wireless standard. Exclusive EnOcean highlights include wireless pushbuttons and window/door contacts with energy generators. They have no batteries and are therefore maintenance-free. As a shareholder of EnOcean GmbH and promoter of the EnOcean Alliance, we stand for continuous development of the international EnOcean wireless standard.

#### **Employees**


Our sales and engineering team is present all over Europe and will support you to find a solution to your requirements. We can provide you with support either on site within 24 hours, or via our hotline, or via a WhatsApp chat. We accompany you from the design stage right through to start-up.

#### **Development and quality Made in Germany**

Eltako is a family-owned enterprise with its head offices in Fellbach, a town on the outskirts of Stuttgart in the German federal state of Baden-Wuerttemberg. The production plant for electromechanical switch-gear and the central warehouse are located in Lossburg, a small town in the Black Forest. Electronic devices are manufactured in a factory in Shenzhen which is certified to ISO 9001-2015. Research and development, quality management, customer service, sales management and the central administration are located at the company's head offices in Fellbach.

#### 5-year warranty

Starting in 2019, we offer a voluntary extended warranty period of 5 years from the data of manufacture on all products we supply bearing the ELTAKO label.





### Index

Individual Smart Home solutions	- 6
Product overview	23
Series 14 – a new chapter in the centralised installation of wireless actuators	24
The remote switch system FTS14 – Modular RS485 bus	29
Wireless actuators for the decentralised Wireless Building installation	30
Eltako Powerline	35
The blue wireless network in the building MiniSafe, MiniSafe REG, SafeIV,	
PowerSafeIV, TouchIV and iRoom docking stations	36
Active wireless sensors	4(
Passive wireless sensors	44
Accessories active and passive wireless sensors and wired bus sensors	55
Accessories wireless and others	67
The future of electrical installations in residential buildings	70
Reference list for Germany	76
,	

### **Individual Smart Home solutions**

## Versatile solutions for you at a glance









Optimal lighting in all rooms. Dimmers and light scenarios create a cosy atmosphere.





### Shading

Control roller shutters and blinds as required and automatically. The powered awning offers protection against sunlight.





#### Heating

Regulate the temperature to suit your needs in every room. Energy-efficient temperature control and ideal heat distribution.






#### Comfort

Automatic switching thanks to motion detection and brightness sensors. Presence simulation with timers to control lighting, shading and heating.







#### **Energy savings**

Consumption monitoring and display on indicators or by software (Smart Metering). Automatic switch on and off of consumers to save energy.



### Security

Display of open windows and doors. Warning signal in case of malfunction, break-in or emergency call. Encrypted wireless on request even inside the house.



#### Air conditioning

Fresh air at all times by the automatic switching of the air-conditioning system and window monitoring.



#### Networking

Installation or integration of a complete network system. Various access points to building installation functions.



#### Visualisation

Visualisation and control of building automation systems by software.



#### Mobile App

Remote access to the building via app, with smart-phone, tablet or PC including camera connection. High-security end-to-end encryption.



## No gentler way to wake up

Slowly it gets brighter in your bedroom. A time-controlled dimmer gently turns the lights up. Press the pushbutton installed next to your bedside table to open the roller shutters and switch off the lights. That's how simple and convenient it is! That's how to start into the day relaxed.












## Smart Home control for my home

Control, visualise and monitor your home using the convenience of a smartphone or tablet via the Smart Home control units MiniSafe, MiniSafeREG, SafelV, PowerSafelV or TouchIV. The Wireless Building app GFA2 or GFA4 keeps you fully in the picture at all times and it also has all the functions so that you can operate them either inside your home or even from a foreign country while you're on holiday.

A connection from your mobile terminal is secure through end-to-end encryption.








Tap the Central Off pushbutton to switch all electrical systems to power saving mode when you leave the house.

All the lights and consumers are switched off immediately and room temperature is reduced if required.














## Saving energy all by itself

Do you select the functions of your shading system by means of central commands – dependent on time and brightness – or do you prefer to press a pushbutton in the room you're in?

Perfect coordination of smart sensors and easy operation provides you with greater convenience and increased security.









### Just feel at home

The convenient temperature control makes it nice and cosy in every room. Just the way you want it. The right climate whatever the season, whether it's spring, summer, autumn or winter.

Individual room control not only distributes heat optimally, it also helps save energy.

A window contact turns your heating system into an energy saver. As soon as you open the window, the set temperature drops automatically.

A timer can even control the temperature in each room depending on use and time.

















Wireless small actuator for radiators





## Home at last and everything's on

You turn into the drive. The motion detector recognises you and switches the drive lights on. You tap a pushbutton and the garage door opens. The outdoor and garden lights switched on automatically when the sun sets to offer additional security.

The house awakes from day mode when you press a central pushbutton on the front door or you activate it remotely from your smartphone. The consumers, which were switched off to save energy when you left the house, are switched back on when you come home.

Are you trying to open the door and turn the lights on with your hands full of heavy shopping bags? No problem! The motion detector simply takes over control and switches the lights on.







## Enjoy your evenings after work ...

Choose the right light scenario for every occasion at the press of a button, whether you're enjoying an evening meal, watching TV on the couch or just reading a book.











## Getting older also means making things more convenient

Various convenience functions are simply integrated in the existing electrical installation.

Wireless sensors detect motion in the room and switch on the necessary lights automatically. They are genuine energy savers at the same time — when you leave the room, the lights switch off by themselves.

In addition, light scenarios create a cosy atmosphere and you can choose one to suit your mood.

### The house in your pocket

When you're out of the house, you can call up the image taken from your surveillance camera, e.g. the camera in the front door intercom.

I'll just take a look ... It's so simple by smartphone or tablet when you're not at home.





## Enjoy your retirement ... while you're on holiday or at home

Timers make sure that your home looks occupied even when you're not there. Time or sensor controlled functions switch lights on and off or move roller shutters up and down.

Whether everything is really in order at home is easy to check from a distance – thanks to remote access.







## Elderly people in particular have a greater need for security – the Eltako Wireless Building is AAL ready

The term AAL (ambient assisted living) means providing an environment that is suitable for senior citizens by equipping it with smart technologies. The Eltako Wireless Building supplies flexible sensors and multifunctional actuators to allow assisted living suitable for senior citizens.

The Eltako Wireless Building offers security in a very simple way. Transmitters with no batteries can be mounted anywhere within easy reach. When pressed or pulled, they send a wireless signal which may trigger an LED to indicate a possible emergency call. At the same time, care staff or family members can be notified by text or email.



FZS65 Wireless pull switch







## Save energy, reduce costs, preserve the environment

The Eltako Wireless Building also offers Smart Metering — genuine energy management that ranges from a cost-effective solution for a flat to a professional solution in large buildings.

Monitoring power consumption is an accepted way to increase awareness of energy consumption and realise which consumers drive up costs at particular times of the day. When counter-measures then cut in automatically, e.g. high consumption appliances are only switched on at off peak times, these realisations and efforts take on an ecological and economically aspect.


Consumption figures are captured by the Building Wireless system and displayed on indicators or by software. As user, you can actively intervene to control consumption at any time. This reveals power wasters so that appliances can be switched on or off to save electricity.

Optimising electricity consumption in this way not only makes enormous savings, it also helps preserve the environment at the same time.










## Centralised Wireless Building installation

In the centralised Wireless Building installation, wireless actuators are fitted centrally in distributor boxes to control individual functions from there. Jumpers enable communication between the devices and supply the power needed.

Wireless pushbuttons and sensors can be fitted wherever they are required, to walls, ceilings, on glass or furniture without having to route additional wiring.

The Wireless Building installation is configured manually or by using the PCT14 software which provides an extensive number of optional settings and is a quick method to teach in devices.



## Decentralised Wireless Building installation

In the decentralised Wireless Building installation, wireless actuators are usually fitted to control individual functions from there. Teach-in is performed manually on each device by means of rotary switches.

Wireless pushbuttons and sensors can be fitted wherever they are required, to walls, ceilings, on glass or furniture.

This is a simple and cost-effective way to implement all Wireless Building applications without the additional need to route wiring and is especially interesting for renovating or refurbishing buildings or to supplement conventional electrical installations.





## Product overview

Series 14 – a new chapter in the centralised installation of wireless actuators	24
The remote switch system FTS14 – Modular RS485 bus	29
Wireless actuators for the decentralised Wireless Building installation	30
Eltako Powerline	35
The blue wireless network in the building MiniSafe, MiniSafe REG, SafeIV,	
PowerSafeIV, TouchIV and iRoom docking stations	36
Active wireless sensors	40
Passive wireless sensors	44
Accessories active and passive wireless sensors and wired bus sensors	55
Accessories wireless and others	67

## Series 14 – a new chapter in the centralised installation of wireless actuators

1	FAM14	Wireless antenna module	EAN 4010312313695	102,80 €/pc.
1	FA250	Wireless antenna with 250cm cable, black	EAN 4010312300244	21,10 €/pc.
Ja	FA250-gw	Wireless antenna with 250cm cable, grey white	EAN 4010312317051	21,10 €/pc.
	FA200	High-performance receive antenna with 200 cm cable	EAN 4010312303306	68,50 €/pc.
	FEM	Wireless receiver antenna module for the RS485 sub-bus	EAN 4010312313848	78,80 €/pc.
	FEM65-wg	Wireless receiver antenna module pure white glossy for the RS485 sub-bus	EAN 4010312315934	83,40 €/pc.
000	FGW14	RS485 bus gateway	EAN 4010312313855	56,60 €/pc.
	FGW14-USB	RS485 bus gateway with USB connection	EAN 4010312316054	56,60 €/pc.
	USB extension cord	USB extension cord	EAN 4010312907702	11,00 €/pc.
(ee ee	FGSM14	Wireless GSM module Germany with dataflat for two years	EAN 4010312314098	275,00 €/pc.*
	FGSM14E	Wireless GSM module Export without dataflat	EAN 4010312315637	205,00 €/pc.*
	FGSM-Comm	Data communication packet M2M for the FGSM14E, flat for 2 years	EAN 4010312316795	96,00 €/pc.*

<sup>\*</sup> The software part is not discountable.



(0.010.01)	FDG14	DALI gateway	EAN 4010312316085	87,50 €/pc.
	FWG14MS	RS485 bus weather data gateway	EAN 4010312316887	56,60 €/pc.
(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	BGW14	Bus gateway	EAN 4010312319062	56,60 €/pc.
	FSM14-UC	Wireless transmitter module	EAN 4010312316078	58,00 €/pc.
100 mg	F3Z14D	RS485 bus wireless meter collector	EAN 4010312501528	49,90 €/pc.
	AFZ	Scanner for each Ferraris meter	EAN 4010312315576	250,40 €/pc.
	FSDG14	RS485 bus wireless energy meter data gateway	EAN 4010312316146	<b>45</b> ,10 €/pc.
	AIR	IR scanner for energy meters	EAN 4010312316153	110,30 €/pc.
25 P	FSR14-4x	RS485 bus actuator 4-channel impulse switch	EAN 4010312313701	51,90 €/pc.
	FSR14-2x	RS485 bus actuator 2-channel impulse switch	EAN 4010312313718	53,50 €/pc.
Control of the contro	F4SR14-LED	RS485 bus actuator 4-channel impulse switch	EAN 4010312317006	66,50 €/pc.
	FSR14SSR	RS485 bus actuator 2-channel impulse switch noiseless	EAN 4010312313893	57,50 €/pc.
	FMS14	RS485 bus actuator multifunction impulse switch with integrated relay function	EAN 4010312313725	42,20 €/pc.
	FSB14	RS485 bus actuator for shading elements and roller shutters	EAN 4010312313732	53,20 €/pc.

	FUD14	RS485 bus actuator universal dimmer switch	EAN 4010312313749	61,00 €/pc.
0 0 0 0	FUD14/800W	RS485 bus actuator universal dimmer switch	EAN 4010312313756	87,50 €/pc.
	FLUD14	Capacity enhancer for universal dimmer switch	EAN 4010312313763	62,20 €/pc.
	FSG14/1-10V	RS485 bus actuator dimmer switch controller for electronic ballast 1-10V	EAN 4010312313770	57,80 €/pc.
	FMZ14	RS485 bus actuator multifunction time relay	EAN 4010312313787	40,60 €/pc.
	FTN14	RS485 bus actuator staircase lighting time delay switch	EAN 4010312313794	43,70 €/pc.
	FFR14	RS485 bus actuator mains disconnection relay	EAN 4010312313800	43,40 €/pc.
	FZK14	RS485 bus actuator time relay for card switch or smoke alarm	EAN 4010312313817	43,90 €/pc.
000	FHK14	RS485 bus actuator heating/cooling relay	EAN 4010312313824	43,40 €/pc.
	F4HK14	RS485 bus actuator heating/cooling relay with 4 channels	EAN 4010312314982	51,90 €/pc.
	F2L14	RS485 bus actuator 2-speed fan relay, 1+1 NO contacts potential free 10A/250V AC	EAN 4010312316160	54,90 €/pc.
	FSU14	RS485 bus display timer	EAN 4010312313831	55,70 €/pc.
100 mm	FMSR14	RS485 bus multifunction sensor relay	EAN 4010312314111	55,70 €/pc.
on the same of the	FWS61-24V DC	Wireless weather data transmitter module	EAN 4010312301937	65,10 €/pc.



	MS Multisensor	Multisensor	EAN 4010312901731	246,60 €/pc.
	FWZ14-65A	RS485 bus wireless single-phase energy meter transmitter module, maximum current 65A. Only 0.5 watt standby loss	EAN 4010312501511	61,10 €/pc.
* 1 0003367 B	DSZ14DRS-3x80A MID	RS485 bus wireless three-phase energy meter with display, MID approval	EAN 4010312501733	165,00 €/pc.
*   <u>Dags 352   </u>	DSZ14WDRS-3x5A MID	RS485 bus wireless three-phase two-way energy meter with display, MID approval	EAN 4010312501450	172,00 €/pc.
*	FRP14	1 and 2 level wireless repeater	EAN 4010312313879	83,10 €/pc.
	FTD14	RS485 telegram duplicator	EAN 4010312315705	84,80 €/pc.
000 000	FAE14SSR	RS485 bus actuator single room control, heating/cooling for 2 zones with solid state relay	EAN 4010312314173	59,20 €/St.
000	FAE14LPR	RS485 bus actuator single room control, heating/cooling for 2 zones	EAN 4010312314234	51,90 €/pc.
G PA	TSA02NC-230V	Actuator NC, 230V	EAN 4010312314425	<b>25,30 €/pc</b> .
G S A	TSA02NC-24V	Actuator NC, 24 V	EAN 4010312314432	<b>25</b> ,30 €/pc.
	MA14-Ir	Module cover left and right	EAN 4010312314449	1,00 €/pc.
	MA14-2m	Module cover 2 centre pieces	EAN 4010312314456	1,00 €/pc.
	STE14	Power input	EAN 4010312314029	18,00 €/pc.
	SAS-4TE	Bus bars 4 PU	EAN 4010312314036	10,70 €/pc.

	SAS-5TE	Bus bars 5 PU	EAN 4010312314043	11,00 €/pc.
	SAS-6TE	Bus bars 6 PU	EAN 4010312314050	11,80 €/pc.
	SAS-7TE	Bus bars 7 PU	EAN 4010312314067	12,80 €/pc.
	SAS-8TE	Bus bars 8 PU	EAN 4010312315187	14,00 €/pc.
	SAS-9TE	Bus bars 9 PU	EAN 4010312315170	14,80 €/pc.
	BBV14	Bus jumper connector	EAN 4010312315248	22,40 €/pc.
5.5 2.5	FBA14	RS485 bus coupler	EAN 4010312313862	22,40 €/pc.
TO THE PARTY OF TH	FSNT14-12V/12W	Power supply unit 12 V/12 W	EAN 4010312315095	46,90 €/pc.
	DS14	Spacer 1/2 module wide = 9 mm wide	EAN 4010312907016	1,00 €/pc.
	GBA14	Housing for operating instruments, white-blue	EAN 4010312906422	2,10 €/pc.
	FUA12-230V	Wireless universal actuator with exchangeable antenna. Impulse switch with integrated relay function with 1 change over contact potential free 10 A/250 V AC	EAN 4010312316955	111,60 €/pc.
	FAM-USB	Wireless antenna module for GFVS-Energy	EAN 4010312312971	79,90 €/pc.
	FSS12-12V DC	Wireless energy meter transmitter module for connection to SO interface of many energy meters	EAN 4010312301944	87,00 €/pc.



## The remote switch system FTS14 – Modular RS485 bus

ecores	FTS14EM	Input module for the Eltako RS485 bus	EAN 4010312315071	56,40 €/pc.
	FTS14KS	FTS14 communication interface	EAN 4010312315651	74,90 €/pc.
	RLC-Glied	Range extension for FTS14TG	EAN 4010312907092	3,80 €/pc.
20 00 00 00 00 00 00 00 00 00 00 00 00 0	FTS14TG	Pushbutton gateway for FTS14 systems	EAN 4010312315088	70,40 €/pc.
	B4FT65-wg	Bus 4-way flat pushbutton pure white glossy in E-design, only 11 mm high	EAN 4010312315682	40,90 €/pc.
	B4T65-wg	Bus 4-way pushbutton pure white glossy in E-design, only 16 mm high	EAN 4010312315675	40,90 €/pc.
A STREET, M.	FTS61BTK	Bus pushbutton coupler for connection to pushbutton gateways	EAN 4010312315668	40,30 €/pc.
	FTS61BTKL	Bus pushbutton coupler for feedback LED	EAN 4010312316801	45,80 €/pc.
	FTS14FA	Wireless output module for FTS14 systems	EAN 4010312315101	87,30 €/pc.
TO THE STATE OF TH	FTS14GBZ	Gateway for ESB61ZK	EAN 4010312316399	77,10 €/pc.
	ESB61ZK-230V	Impulse switch for shading element and roller shutters with central control for low voltage in conjunction with FTS14GBZ gateway	EAN 4010312109588	55,10 €/pc.

## Wireless actuators for the decentralised Wireless Building installation

maxim "	FSR61NP-230V	Wireless actuator impulse switch w/ integr. relay function 230V. 1 NO contact not potential free 10A/250V AC.	EAN 4010312300190	80,40 €/pc.
	FSR61NP- 230V+FTK-rw	Wireless actuator impulse switch w/ integr. relay function 230V+FTK-rw. 1 NO contact not potential free 10A/250V AC	EAN 4010312300916	155,30 €/pc.
(B)(B)(1)	FSR61/8-24V UC	Wireless actuator impulse switch w/ integr. relay function 230V. 1 NO contact potential free 10A/250V AC.	EAN 4010312301357	77,00 €/pc.
THE STATE OF THE S	FSR61-230V	Wireless actuator impulse switch w/ integr. relay function 230V. 1 NO contact potential free 10A/250V AC.	EAN 4010312301531	78,40 €/pc.
THE STATE OF THE S	FSR61G-230V	Wireless actuator impulse switch with integrated relay function	EAN 4010312313886	81,80 €/pc.
Miles and the second of the se	FSR61LN-230V	Wireless actuator impulse switch with integr. relay function 230V ffor bipolar switching of L and N	EAN 4010312313190	80,40 €/pc.
THE REAL PROPERTY OF THE PERSON OF THE PERSO	FSR61VA-10A	Wireless actuator impulse switch w/ integr. relay function w/ current measurement. 1 NO contact not potential free 10 A/250 V AC.	EAN 4010312311462	81,90 €/pc.
THE REAL PROPERTY OF THE PARTY	FMS61NP-230V	Wireless actuator Multifunction impulse switch 230 V. 1+1 NO contacts not potential free 10A/250 V AC	EAN 4010312300268	82,40 €/pc.
	FLC61NP-230V	Wireless actuator light controller 230 V	EAN 4010312312032	81,80 €/pc.
-	FUD61NP-230V	Wireless actuator Universal dimmer switch without N, 230V. Power MOSFET 300W.	EAN 4010312300183	96,10 €/pc.
	FUD61NPN-230V	Wireless actuator Universal dimmer switch 230 V. Power MOSFET 300 W.	EAN 4010312300299	99,90 €/pc.
Taxas .	FKLD61	Wireless actuator constant current LED dimmer switch	EAN 4010312314357	100,00 €/pc.



CEREN	FLD61	Wireless actuator PWM LED dimmer switch	EAN 4010312315255	94,40 €/pc.
	FSB61-230V	Wireless actuator Without N connectionfor shading elements and roller shutters 230V. 1+1 NO contact not potential free 4A	EAN 4010312317235	86,80 €/pc.
22223	FSB61NP-230V	Wireless actuator for shading elements and roller shutters 230 V. 1+1 NO contact not potential free 4A/250 V AC.	EAN 4010312300213	86,80 €/pc.
-	FTN61NP-230V	Wireless actuator Staircase off-delay timer 230 V. 1 NO contact not potential free 10 A/250 V AC.	EAN 4010312300206	80,80 €/pc.
anada "	FMZ61-230V	Wireless actuator Multifunction time relay 230V. 1 NO contact potential free 10A/250V AC, incandescent lamps up to 2000 watts.	EAN 4010312302293	77,70 €/pc.
and the state of t	FHK61-230V	Wireless actuator Heating/cooling relay 230V. 1 NO contact potential free 10A/250V AC.	EAN 4010312302309	82,10 €/pc.
and the second s	FHK61U-230V	Wireless actuator heating relay	EAN 4010312315118	81,80 €/pc.
THE STATE OF THE S	FHK61SSR-230V	Wireless actuator heating/cooling relay with solid state relay	EAN 4010312314906	85,50 €/pc.
-	FFR61-230V	Wireless actuator 230V. 1+1 NO contacts not potential free 10A/250V AC, incandescent lamps up to 2000 watts	EAN 4010312303221	86,00 €/pc.
and the same of th	FZK61NP-230V	Wireless actuator time relay for card switch or smoke alarm 230V. 1+1 NO contacts not potential free 10 A/250 V AC	EAN 4010312304273	81,10 €/pc.
12.22.23 °	FSM61-UC	Funk-2-fach-Sendemodul	EAN 4010312300152	57,70 €/pc.
O STATES	FWS61-24V DC	Wireless 2-fold transmitter module	EAN 4010312301937	65,10 €/pc.
	MS Multisensor	Multisensor	EAN 4010312901731	246,60 €/pc.
W To	SNT61-230V/ 24VDC-0,25A	Power supply unit 230V/24V DC-0,25A	EAN 4010312301326	45,00 €/pc.

মীয়ে ছ ভূতিক্ৰ	FSR71NP-230V	Wireless actuator impulse switch with integr. relay function	EAN 4010312316221	81,90 €/pc.
ahd s Estera	FSR71NP-2x-230V	Wireless actuator 2 channel impulse switch with integr. relay function	EAN 4010312316245	113,40 €/pc.
Abl s	FSR71-2x-230V	Wireless actuator 2 channel impulse switch with integr. relay function	EAN 4010312316252	112,00 €/pc.
श्रीती च उत्पत्ति	FSR71NP-4x-230V	Wireless actuator 4 channel impulse switch with integr. relay function	EAN 4010312316269	112,00 €/pc.
মার্য ৮ ভূমিক	FSB71-230V	Wireless actuator for shading elements and roller shutters	EAN 4010312316306	90,00 €/pc.
:thth च चैंतरीकृत	FSB71-2x-230V	Wireless actuator for shading elements and roller shutters with 2 channels	EAN 4010312316290	112,70 €/pc.
.d d e මාරාග	FSB71-24V DC	Wireless actuator for shading elements and roller shutters	EAN 4010312316962	114,70 €/pc.
्राप्ति क उन्तर्भव	FUD71-230V	Wireless actuator Universal dimmer switch 230V. Power MOSFET 400W.	EAN 4010312316207	113, <b>90</b> €/pc.
alit ii Soo	FUD71L/1200W- 230V	Wireless actuator Universal dimmer switch 230 V. Power MOSFET up to 1200 W.	EAN 4010312316412	143,50 €/pc.
क्षांत १००	FSG71/1-10V	Wireless actuator Dimmer switch controller for electronic ballast units 1-10V	EAN 4010312316283	105,50 €/pc.
जोऽ में क्रिकेट	FDG71L-230V	Wireless DALI gateway	EAN 4010312317556	128,60 €/pc.
मांचे s 500	FRGBW71L	Wireless actuator PWM Dimmer Switch for LED	EAN 4010312316450	143,50 €/pc.
යල් ක ිවෙය	FWWKW71L	Wireless actuator PWM Dimmer Switch for LED	EAN 4010312318928	143,50 €/pc.
ĕ ; ;	DAT71	Data transformer to configure Series 71	EAN 4010312316351	68,70 €/pc.



FSR70S-230V-rw	Wireless actuator impulse switch w/ integr. relay function 230V as cord switch, pure white. 1 NO contact not potential free 10A/250V AC	EAN 4010312301487	84,40 €/pc.
FUD70S-230V-rw	Wireless actuator universal dimmer switch as cord switch, pure white. Power MOSFET 400 W	EAN 4010312301395	102,80 €/pc.
FSSA-230V	Wireless actuator socket switching actuator	EAN 4010312314562	99,10 €/pc.
FSVA-230V-10A	Wireless actuator socket switching actuator with current measurement	EAN 4010312314555	105,90 €/pc.
FSUD-230V	Wireless actuator socket universal dimmer switch	EAN 4010312314791	122,10 €/pc.
FSHA-230V	Wireless actuator socket heating actuator. 1 NO contact nor potential free 10A/250V AC	EAN 4010312318997	99,10 €/pc.
FGM	Wireless actuator wireless module for fitting in the 3xAA battery compartment	EAN 4010312303290	65,30 €/pc.
FAS260SA	Wireless outdoor siren 26x20x7cm with solar cell and lithium-polymer battery, white	EAN 4010312320075	116,60 €/pc.
FTA65D-wg	Wireless pushbutton actuator dimming, pure white glossy	EAN 4010312319185	74,80 €/pc.
FTA65DL-wg	Wireless pushbutton actuator dimming without N connection, pure white glossy	EAN 4010312319192	74,80 €/pc.
FTA65J-wg	Wireless pushbutton actuator shading, pure white glossy	EAN 4010312319208	68,20 €/pc.
FTA65L-wg	Wireless pushbutton actuator light switch, pure white glossy	EAN 4010312319215	67,50 €/pc.
FFTA65D-wg	Wireless flat pushbutton actuator dimming, pure white glossy	EAN 4010312319260	79,80 €/pc.
FFTA65DL-wg	Wireless flat pushbutton actuator dimming without N connection, pure white glossy	EAN 4010312319277	79,80 €/pc.
	FSSA-230V  FSVA-230V-10A  FSUD-230V  FSHA-230V  FGM  FAS260SA  FTA65D-wg  FTA65D-wg  FTA65J-wg  FTA65L-wg	FSA-230V-rW  Wireless actuator universal dimmer switch as cord switch, pure white. Power MOSFET 400W  FSSA-230V  Wireless actuator socket switching actuator with current measurement  Wireless actuator socket switching actuator with current measurement  Wireless actuator socket universal dimmer switch  FSUD-230V  Wireless actuator socket universal dimmer switch  Wireless actuator socket universal dimmer switch  Wireless actuator socket heating actuator.  1 NO contact nor potential free 10A/250V AC  Wireless actuator wireless module for fitting in the 3xAA battery compartment  FAS260SA  Wireless actuator wireless module for fitting in the 3xAA battery compartment  FTA65D-wg  Wireless pushbutton actuator dimming, pure white glossy  FTA65D-wg  Wireless pushbutton actuator dimming without N connection, pure white glossy  FTA65D-wg  Wireless pushbutton actuator shading, pure white glossy  Wireless flat pushbutton actuator dimming, pure white glossy	FSA-230V Wireless actuator socket switching actuator with current measurement  FSA-230V Wireless actuator socket switching actuator with current measurement  FSVA-230V-10A Wireless actuator socket switching actuator with current measurement  FSUD-230V Wireless actuator socket switching actuator with current measurement  FSUD-230V Wireless actuator socket noiversal dimmer switch  FSUD-230V Wireless actuator socket noiversal dimmer switch  FSHA-230V Wireless actuator socket heating actuator.  TNO contact nor potential free 10A/250V AC  FSHA-230V Wireless actuator wireless module for fitting in the 3xAA battery comportment  FSHA-230V Wireless outdoor size 26x20x7 cm with solar cell and lithium-polymer battery, white  FAS260SA Wireless pushbutton actuator dimming, bure white glossy  FTA65D-wg Wireless pushbutton actuator dimming without N connection, pure white glossy  FTA65D-wg Wireless pushbutton actuator shading, bure white glossy  FTA65D-wg Wireless pushbutton actuator light switch, pure white glossy  FTA65D-wg Wireless pushbutton actuator dimming.  FTA65D-wg Wireless flat pushbutton actuator dimming.  FAN 4010312319260  FTA65D-wg Wireless flat pushbutton actuator dimming.  FAN 4010312319260

	Wireless flat pushbutton actuator shading,	FAN 4010010010004	00 00 6/
FFTA65J-wg	pure white glossy	EAN 4010312319284	68,80 €/pc.
FFTA65L-wg	Wireless flat pushbutton actuator light switch, pure white glossy	EAN 4010312319291	69,80 €/pc.
FTA55D-wg	Wireless flat pushbutton actuator dimming, pure white glossy	EAN 4010312319222	74,80 €/pc.
FTA55DL-wg	Wireless flat pushbutton actuator dimming without N connection, pure white glossy	EAN 4010312319239	74,80 €/pc.
FTA55J-wg	Wireless flat pushbutton actuator shading, pure white glossy	EAN 4010312319246	68,20 €/pc.
FTA55L-wg	Wireless flat pushbutton actuator light switch, pure white glossy	EAN 4010312319253	67,50 €/pc.











## Eltako Powerline

	FPLG14	Wireless Powerline gateway	EAN 4010312316771	91,60 €/pc.
2 11 12 11 12 11 12 12 12 12 12 12 12 12	FPLT14	Wireless powerline tunnel gateway	EAN 4010312317723	91,60 €/pc.
	PL-FTGW	Powerline pushbutton gateway	EAN 4010312316986	166,40 €/pc.
	PL-SAM1L	Decentralised actuator with sensor input	EAN 4010312316665	103,70 €/pc.
	PL-SAM2L	Decentralised actuator with sensor inputs	EAN 4010312316672	105,40 €/pc.
	PL-SAM2	Venetian blind actuator with sensor inputs	EAN 4010312316689	105,40 €/pc.
	PL-SAMDU	Decentralised universal dimmer actuator with sensor input	EAN 4010312316870	119,60 €/pc.
	PL-AMD10V	Decentralised dimmer actuator 1-10 Volt	EAN 4010312316726	105,40 €/pc.
	PL-SAM1LT	Decentralised TLZ actuator with sensor input	EAN 4010312316702	105,40 €/pc.
	PL-SM1L	Decentralised sensor input 230V	EAN 4010312316740	99,90 €/pc.
	PL-SM8	Decentralised 8-channel sensor input	EAN 4010312316719	105,40 €/pc.
Construction of the state of th	PL-SAMTEMP	Temperature controller for heating and cooling	EAN 4010312316733	198,90 €/pc.
•	PL-SW-PROF	Coupling element for installation and configuration of the powerline devices PL	EAN 4010312316856	333,40 €/pc.

# The blue wireless network in the building with MiniSafe, MiniSafe REG, SafeIV, PowerSafeIV, TouchIV and iRoom docking stations

	SafeIV-rw	Smart Home control unit pure white w/ LAN and if need be GSM communication, 199x180x39mm	EAN 4010312318287	999,00 €/pc.
	SafeIV-sz	Smart Home control unit black w/ LAN and if need be GSM communication, 199x180x39mm	EAN 4010312318805	999,00 €/pc.
	GSM-Modem	GSM modem upgrade	EAN 4010312318836	150,00 €/pc.
	PowerSafeIV-rw	Smart Home control unit with LAN and if need be GSM communication, pure white	EAN 4010312318294	1999,00 €/pc.
	PowerSafeIV-sz	Smart Home control unit with LAN and if need be GSM communication, black	EAN 4010312319451	1999,00 €/pc.
(a a a a a a a a a a a a a a a a a a a	FGSM14	Wireless GSM module Germany with dataflat for two years	EAN 4010312314098	275,00 €/pc.*
	FGSM14E	Wireless GSM module Export without dataflat	EAN 4010312315637	205,00 €/pc.*
	FGSM-Comm	Data communication packet M2M for the FGSM14E, flat for 2 years	EAN 4010312316795	96,00 €/pc.*
	GFVS-Client-5	Client license. 5 additional clients are activated	EAN 4010312316016	149,90 €/pc.
	GFVS-Comm	Communication packet for SafeIV and PowerSafeIV with GSM modem	EAN 4010312314265	398,00 €/pc.
	TouchIV-wg	The Smart Home control unit pure white glossy. Switch on, configure and use!	EAN 4010312318829	999,00 €/pc.
	TouchIV-sz	The Smart Home control unit black. Switch on, configure and use!	EAN 4010312318812	999,00 €/pc.

<sup>\*</sup> The software part is not discountable.



	VESA mount	For mounting TouchIV on the wall	EAN 4010312312629	31,90 €/pc.
<b>n</b>	MiniSafe	Smart Home control unit	EAN 4010312319079	297,00 €/pc.
	MiniSafe REG	Smart Home control unit for DIN rail mounting	EAN 4010312319017	308,80 €/pc.
	FA250	Wireless antenna with 250cm cable, black	EAN 4010312300244	21,10 €/pc.
	FA250-gw	Wireless antenna with 250cm cable, grey white	EAN 4010312317051	21,10 €/pc.
	HDR-30-5	Power supply unit 5V/15W for MiniSafe REG, 2 PU	EAN 4010312318874	42,10 €/pc.
	EAP165	IP gateway for Safe and Touch with GFVS	EAN 4010312319130	299,80 €/pc.
	fixDock-iPad5-w-HV	Docking station with charging function, white	EAN 4010312319499	429,50 €/St.
	fixDock-iPad5-b-HV	Docking station with charging function, black	EAN 4010312319482	429,50 €/pc.
	fixDock-Mini4-w-HV	Docking station with charging function, white	EAN 4010312319512	409,00 €/pc.
	fixDock-Mini4-b-HV	Docking station with charging function, black	EAN 4010312319505	409,00 €/pc.
	surDock-iPad-5-w	Docking station with charging function, white	EAN 4010312320150	479,00 €/pc.
	surDock-iPad-5-b	Docking station with charging function, black	EAN 4010312320150	479,00 €/pc.
	surDock-iPad-10,5"-w	Docking station with charging function, white	EAN 4010312320174	499,00 €/pc.

	surDock-iPad-10,5"-b	Docking station with charging function, black	EAN 4010312320181	499,00 €/pc.
	surDock-iPad-mini-w	Docking station with charging function, white	EAN 4010312320198	416,00 €/pc.
	surDock-iPad-mini-b	Docking station with charging function, black	EAN 4010312320204	416,00 €/pc.
	LWA-5	Docking station with charging function and motor, white	EAN 4010312319550	899,00 €/pc.
	LBA-5	Docking station with charging function and motor, black	EAN 4010312319543	899,00 €/pc.
	LWG-5	Docking station with charging function and motor, white	EAN 4010312319574	999,00 €/pc.
	LBG-5	Docking station with charging function and motor, black	EAN 4010312319567	999,00 €/pc.
	LWG-Code-5	Docking station with charging function and motor, white	EAN 4010312319598	1199,00 €/pc.
	LBG-Code-5	Docking station with charging function and motor, black	EAN 4010312319581	1199,00 €/pc.
	miniDock4-w-mV	Docking station with charging function and motor, white	EAN 4010312319536	747,20 €/pc.
	miniDock4-b-mV	Docking station with charging function and motor, black	EAN 4010312319529	747,20 €/pc.
	iBezel-5-w	Docking station with charging function and motor, white	EAN 4010312319611	1299,00 €/pc.
	iBezel-5-b	Docking station with charging function and motor, black	EAN 4010312319604	1299,00 €/pc.
000	iTop-Pro-w	Desktop docking station with charging function, white	EAN 4010312319635	899,00 €/pc.



iTop-Pro-b	Desktop docking station with charging function, black	EAN 4010312319628	899,00 €/pc.
 iTop-Plus-w	Desktop docking station with charging function, white	EAN 4010312319659	999,00 €/pc.
iTop-Plus-b	Desktop docking station with charging function, black	EAN 4010312319642	999,00 €/pc.
BB-B	Flush-mounted box for all iDock models, vertical or horizontal	EAN 4010312319666	81,00 €/pc.
BB-LAB	Flush-mounted box for all iDock models with glass or aluminium fronts, horizontal, black	EAN 4010312319673	173,20 €/pc.
BB-LAS	Flush-mounted box for all iDock models with glass or aluminium fronts, horizontal, silver	EAN 4010312319772	173,20 €/pc.
BB-Mini	miniDock flush-mounted box, silver	EAN 4010312319680	111, <b>70</b> €/pc.
BB-Mini-AB	miniDock flush-mounted box, black	EAN 4010312319697	142,50 €/pc.



## Active wireless sensors

	FABH65S-wg	Wireless outdoor motion/brightness sensor with solar cell, pure white glossy	EAN 4010312315798	137,70 €/pc.
	FAC65D-wg	Wireless alarm controller with display, pure white glossy	EAN 4010312319727	95,20 €/pc.
	FAH65S-wg	Wireless sensor outdoor brightness sensor with solar cell, pure white glossy	EAN 4010312315828	107,40 €/pc.
	FB65B-wg	Wireless motion sensor, pure white glossy	EAN 4010312317570	86,90 €/pc.
	FBH65B-wg	Wireless motion/brightness sensor, pure white glossy	EAN 4010312315767	123,10 €/pc.
	FBH65SB-wg	Wireless motion/brightness sensor with solar cell and battery, pure white glossy	EAN 4010312317914	96,60 €/pc.
	FBH65S-wg	Wireless motion/brightness sensor with solar cell, pure white glossy	EAN 4010312315781	133,30 €/pc.
	FBH65TFB-wg	Wireless motion/brightness sensor, pure white glossy	EAN 4010312315774	149,80 €/pc.
•	FC02TF65-wg	Wireless CO <sub>2</sub> sensor with signal, pure white glossy	EAN 4010312315880	272,40 €/pc.
	FEA65D-wg	Wireless energy consumption indicator with display, pure white glossy	EAN 4010312315903	94,50 €/pc.
	FFC65D/230V-wg	Wireless window controller with display, pure white glossy	EAN 4010312317877	95,20 €/pc.
7	FFT65B-wg	Wireless humidity temperature sensor, pure white glossy	EAN 4010312317587	73,10 €/pc.



	FIFT65S-wg	Wireless sensor indoor humidity temperature sensor with solar cell, pure white glossy	EAN 4010312315835	114,80 €/pc.
	FIH65B-wg	Wireless indoor brightness sensor, pure white glossy	EAN 4010312315804	101, <b>7</b> 0 €/pc.
	FIH65S-wg	Wireless sensor brightness sensor with solar cell, pure white glossy	EAN 4010312315811	94,40 €/pc.
<u> </u>	FSU65D/230V-wg	Wireless timer with display, pure white glossy	EAN 4010312317709	99,20 €/pc.
	FTF65S-wg	Wireless temperature sensor with solar cell, pure white glossy	EAN 4010312315873	104,50 €/pc.
Trace	FTR65DSB-wg	Wireless sensor temperature controller with display, solar cell and battery pure white glossy	EAN 4010312319338	99,80 €/pc.
	FTR65HB-wg	Wireless temperature controller, pure white glossy	EAN 4010312317594	77,90 €/pc.
	FTR65SB-wg	Wireless temperature controller with solar cell and battery, pure white glossy	EAN 4010312319178	91,80 €/pc.
	FTR65HS-wg	Wireless sensor temperature controller with hand wheel and solar cell, pure white glossy	EAN 4010312315859	105,20 €/pc.
-2.2	FUTH65D/230V-wg	Wireless thermo clock/hygrostat with display, pure white glossy	EAN 4010312317693	99,80 €/pc.
	FWA65D-wg	Wireless sensor weather data display, pure white glossy	EAN 4010312315750	102,20 €/pc.
	FBHF65SB-wg	Wireless motion/brightness sensor with solar cell and battery, pure white glossy	EAN 4010312318591	85,90 €/pc.
10	FFTF65B-wg	Wireless humidity temperature sensor, pure white glossy	EAN 4010312318607	73,10 €/pc.
	FTRF65HB-wg	Wireless temperature controller with battery, pure white glossy	EAN 4010312318973	75,20 €/pc.

	FTRF65SB-wg	Wireless temperature controller with solar cells and battery, pure white glossy	EAN 4010312318614	83,30 €/pc.
	FAC55D-wg	Wireless alarm controller with display, pure white glossy	EAN 4010312319710	95,20 €/pc.
	FBH55SB-wg	Wireless motion/brightness sensor with solar cells and battery, pure white glossy	EAN 4010312318355	96,60 €/pc.
	FSU55D/230V-wg	Wireless sensor timer with display, pure white glossy	EAN 4010312318010	94,70 €/pc.
TOURSE	FTR55DSB-wg	Wireless sensor temperature controller with display, solar cells and battery, pure white glossy	EAN 4010312319345	99,80 €/pc
	FTR55HB-wg	Wireless temperature controller, pure white glossy	EAN 4010312317921	80,10 €/pc.
	FUTH55D/230V-wg	Wireless sensor thermo clock/hygrostat with display, pure white glossy	EAN 4010312318003	99,80 €/pc.
<u> 550</u> ○ 55	FTR86B-ws	Wireless temperature controller, white	EAN 4010312318423	93,10 €/pc.
	FTR78S-wg	Wireless sensor temperature controller with solar cell, pure white glossy	EAN 4010312316030	126,30 €/pc.
	FABH130/230V-rw	Wireless outdoor motion/brightness sensor, pure white	EAN 4010312317617	123,30 €/pc.
	AFZ	Scanner for each Ferraris meter	EAN 4010312315576	250,40 €/pc.
	AIR	IR scanner for energy meters	EAN 4010312316153	110,30 €/pc.
	FAFT60	Wireless outdoor humidity temperature sensor 60x46mm, 30mm deep	EAN 4010312310120	115,90 €/pc.
	FAH60	Wireless outdoor brightness twilight sensor 60x46mm, 30mm deep	EAN 4010312305218	98,70 €/pc.



4	FAH60B	Wireless sensor outdoor brightness twilight sensor	EAN 4010312316429	98,70 €/pc.
	FRW-ws	Wireless sensor smoke alarm	EAN 4010312312308	102,20 €/pc.
	FWS60	Water sensor to the FSM60B	EAN 4010312316108	23,60 €/pc.
	FSM60B	Wireless transmitter module with battery for water sensors and pushbuttons	EAN 4010312316092	90,60 €/pc.
	FWS81	Wireless water sensor	EAN 4010312316061	111,30 €/pc.
	FKS-MD15	Small actuator, controlled by thermo clock/ hygrostat FUTH65D	EAN 4010312311103	128,70 €/pc.
E S	FKS-E	Small actuator, controlled by thermo clock/ hygrostat FUTH65D	EAN 4010312316047	122,20 €/pc.
	TF-FKS	Tap-radio® small actuator	EAN 4010312317389	136,50 €/pc.
	FKS-SV	Small actuator Smart Valce	EAN 4010312319857	130,70 €/pc.
	MS Multisensor	Multisensor	EAN 4010312901731	246,60 €/pc.
ST CL	FTFB-wg	Wireless-temperature+humidity sensor, pure white glossy	EAN 4010312319147	68,70 €/pc.



## Passive wireless sensors

	F2T65-wg	Wireless 2-way pushbutton in E-Design pure white glossy, without battery or wire. With rocker	EAN 4010312319321	39,80 €/pc.
	F4T65-wg	Wireless 4-way pushbutton without battery or wire, pure white glossy, with double rocker	EAN 4010312315965	39,80 €/pc.
	F4T65B-wg	Wireless 4-way pushbutton without wire, pure white glossy, with rocker	EAN 4010312315972	54,90 €/pc.
	F6T65B-wg	Wireless pushbutton in E-Design	EAN 4010312318584	68,40 €/pc.
1 2	F6T65B-Keypad	Wireless 6-way pushbutton as keypad, laser engraved with battery, pure white glossy	EAN 4010312319123	74,90 €/pc.
	F2ZT65-wg	Wireless 2-way central control pushbutton, pure white glossy	EAN 4010312318751	45,60 €/pc.
	FDT65B-wg	Wireless rotary switch in E-Design, pure white glossy	EAN 4010312317273	61,70 €/pc.
	FTA65D-wg	Wireless pushbutton actuator dimming, pure white glossy	EAN 4010312319185	74,80 €/pc.
	FTA65DL-wg	Wireless pushbutton actuator dimmer without N connection, pure white glossy	EAN 4010312319192	74,80 €/pc.
	FTA65J-wg	Wireless pushbutton actuator shading, pure white glossy	EAN 4010312319208	68,20 €/pc.
	FTA65L-wg	Wireless pushbutton actuator light switch, pure white glossy	EAN 4010312319215	67,50 €/pc.
	FKF65-wg	Wireless sensor key card switch, pure white glossy	EAN 4010312316115	51,60 €/pc.



FZS65-wg	Wireless sensor pull switch, pure white glossy	EAN 4010312316139	65,90 €/pc.
FIW65-wg	Wireless sensor infrared converter, pure white glossy	EAN 4010312315941	96,90 €/pc.
B4T65-wg	Bus 4-way pushbutton in E-design. With rocker and double rocker, pure white glossy	EAN 4010312315675	40,90 €/pc.
WS65-wg	Rocker switch, pure white glossy	EAN 4010312317341	12,20 €/pc.
WT65-wg	Rocker pushbutton, pure white glossy	EAN 4010312317334	12,20 €/pc.
 F2FZT65B-wg	Wireless 2-way central control pushbutton, pure white glossy	EAN 4010312318775	45,60 €/pc.
F1FT65-wg	Wireless 1-way flat pushbutton with energy generator, pure white glossy	EAN 4010312315958	37,90 €/pc.
F2FT65-wg	Wireless 2-way flat pushbutton with energy generator, pure white glossy	EAN 4010312319307	39,80 €/pc.
F2FT65B-wg	Wireless 2-way flat pushbutton, pure white glossy	EAN 4010312319314	53,60 €/pc.
F4FT65-wg	Wireless 4-way flat pushbutton with energy generator. With rocker and double rocker	EAN 4010312318485	39,80 €/pc.
F4FT65B-wg	Wireless 4-way flat pushbutton. With rocker and double rocker, pure white glossy	EAN 4010312315989	53,60 €/pc.
FDTF65B-wg	Wireless 1-way rotary switch flat, pure white glossy	EAN 4010312318843	61,70 €/pc.
FFTA65D-wg	Wireless flat pushbutton actuator dimming, pure white glossy	EAN 4010312319260	79,80 €/pc.
FFTA65DL-wg	Wireless flat pushbutton actuator dimmer without N connection, pure white glossy	EAN 4010312319277	79,80 €/pc.

FFTA65J-wg	Wireless flat pushbutton actuator shading, pure white glossy	EAN 4010312319284	68,80 €/pc.
FFTA65L-wg	Wireless flat pushbutton actuator light switch, pure white glossy	EAN 4010312319291	69,80 €/pc.
B4FT65-wg	Bus 4-way flat pushbutton. With rocker and double rocker, pure white glossy	EAN 4010312315682	40,90 €/pc.
F2T55E-wg	Wireless 2-way pushbutton E-Design 55x55mm without battery and wire, pure white glossy	EAN 4010312319918	39,80 €/pc.
F2ZT55E-wg	Wireless 2-way central control pushbutton E-Design 55x55mm without battery and wire, pure white glossy	EAN 4010312319994	<b>45,60 €/pc</b> .
F4T55E-al	Wireless 4-way pushbutton E-Design 55x55mm without battery and wire, coated/aluminium paint	EAN 4010312319901	48,80 €/pc.
F4T55E-ws	Wireless 4-way pushbutton E-Design 55x55mm without battery and wire, white	EAN 4010312319895	39,80 €/pc.
F4T55E-rw	Wireless 4-way pushbutton E-Design 55x55mm without battery and wire, pure white	EAN 4010312319871	39,80 €/pc.
F4T55E-wg	Wireless 4-way pushbutton E-Design 55x55mm without battery and wire, pure white glossy	EAN 4010312319833	39,80 €/pc.
F4T55E-sz	Wireless 4-way pushbutton E-Design 55x55mm without battery and wire, black	EAN 4010312319888	39,80 €/pc.
F4T55E-an	Wireless 4-way pushbutton E-Design 55x55mm without battery and wire, anthracite	EAN 4010312319864	39,80 €/pc.
F4T55EB-wg	Wireless 4-way pushbutton E-Design 55x55mm without wire, pure white glossy, with battery. With rocker and double rocker	EAN 4010312319970	53,70 €/pc.
F4T55B-al	Wireless 4-way pushbutton 55x55mm without wire coated/aluminium paint, with battery. With rocker and double rocker	EAN 4010312316467	60,10 €/pc.
F4T55B-ws	Wireless 4-way pushbutton 55x55mm without wire white, with battery. With rocker and double rocker	EAN 4010312316511	53,70 €/pc.



F4T55B-rw	Wireless 4-way pushbutton 55x55mm without wire pure white, with battery. With rocker and double rocker	EAN 4010312316474	53,70 €/pc.
F4T55B-wg	Wireless 4-way pushbutton 55x55mm without wire pure white glossy, with battery. With rocker and double rocker	EAN 4010312316498	53,70 €/pc.
F4T55B-an	Wireless 4-way pushbutton 55x55mm without wire anthracite, with battery. With rocker and double rocker	EAN 4010312316504	53,70 €/pc.
F6T55B-wg	Wireless 6-way pushbutton with battery, pure white glossy	EAN 4010312318935	68,40 €/pc.
F6T55B-Keypad	Wireless 6-way pushbutton as keypad, laser engraved with battery, pure white glossy	EAN 4010312319116	74,90 €/pc.
FT55-al	Wireless 4-way pushbutton 55x55mm coated/aluminium paint without battery or wire, with rocker and double rocker	EAN 4010312305829	48,80 €/pc.
FT55-ws	Wireless 4-way pushbutton 55x55mm white without battery or wire, with rocker and double rocker	EAN 4010312308936	41,00 €/pc.
FT55-rw	Wireless 4-way pushbutton 55x55mm pure white without battery or wire, with rocker and double rocker	EAN 4010312305775	41,00 €/pc.
FT55-wg	Wireless 4-way pushbutton 55x55mm pure white glossy without battery or wire, with rocker and double rocker	EAN 4010312305799	41,00 €/pc.
FT55-sz	Wireless 4-way pushbutton 55x55mm black without battery or wire, with rocker and double rocker	EAN 4010312305782	41,00 €/pc.
FT55-an	Wireless 4-way pushbutton 55x55mm anthracite without battery or wire, with rocker and double rocker	EAN 4010312305805	41,00 €/pc.
FDT55B-wg	Wireless rotary switch 55x55mm, pure white glossy	EAN 4010312318256	61,70 €/pc.
FTA55D-wg	Wireless pushbutton actuator dimmer 55x55mm, pure white glossy	EAN 4010312319222	74,80 €/pc.
FTA55DL-wg	Wireless pushbutton actuator dimmer without N connection 55x55mm, pure white glossy	EAN 4010312319239	74,80 €/pc.

FTA55J-wg	Wireless pushbutton actuator shading 55x55mm, pure white glossy	EAN 4010312319246	68,20 €/pc.
FTA55L-wg	Wireless pushbutton actuator light switch 55x55mm, pure white glossy	EAN 4010312319253	67,50 €/pc.
 FZT55-wg	Wireless 2-way central control pushbutton 55x55mm, pure white glossy	EAN 4010312318768	45,60 €/pc.
B4T55-ws	Bus 4-way pushbutton 55x55mm, white. With rocker and double rocker	EAN 4010312316597	40,90 €/pc.
B4T55-rw	Bus 4-way pushbutton 55x55mm, pure white. With rocker and double rocker	EAN 4010312316603	40,90 €/St.
B4T55-wg	Bus 4-way pushbutton 55x55mm, pure white glossy. With rocker and double rocker	EAN 4010312316580	40,90 €/pc.
B4T55-an	Bus 4-way pushbutton 55x55mm, anthracite. With rocker and double rocker	EAN 4010312316627	40,90 €/pc.
WS55-ws	Rocker switch 55x55 mm, white	EAN 4010312317440	9,90 €/pc.
WS55-rw	Rocker switch 55x55mm, pure white	EAN 4010312317464	9,90 €/pc.
WS55-wg	Rocker switch 55x55mm, pure white glossy	EAN 4010312317433	9,90 €/pc.
WS55-an	Rocker switch 55x55mm, anthracite	EAN 4010312317488	9,90 €/pc.
WT55-ws	Rocker pushbutton 55x55mm, white	EAN 4010312317495	9,90 €/pc.
WT55-rw	Rocker pushbutton 55x55mm, pure white	EAN 4010312317501	9,90 €/pc.
WT55-wg	Rocker pushbutton 55x55mm, pure white glossy	EAN 4010312317518	9,90 €/pc.



WT55-an	Rocker pushbutton 55x55mm, anthracite	EAN 4010312317532	9,90 €/pc.
FT4BS-ws	Wireless 4-way pushbutton 55x55mm Unica, Schneider-white. With rocker and double rocker	EAN 4010312314203	44,50 €/pc.
FT4B-cr	Wireless 4-way pushbutton 55x55mm Pure / Intense / Original, Niko cream. With rocker and double rocker	EAN 4010312312995	44,50 €/pc.
FT4B-na	Wireless 4-way pushbutton 55x55mm Pure / Intense / Original, Nikoanthracite. With rocker and double rocker	EAN 4010312314180	44,50 €/pc.
FT4B-nw	Wireless 4-way pushbutton 55x55mm Pure / Intense / Original, Nikowhite. With rocker and double rocker	EAN 4010312312902	44,50 €/pc.
FT4BL-Iw	Wireless 4-way pushbutton 55x55mm Mosaic, Legrand-white. With rocker and double rocker	EAN 4010312314197	44,50 €/pc.
FT4CH-hg	Wireless 4-way pushbutton without battery or wire, light grey, Swiss Design. With rocker and double rocker	EAN 4010312300985	44,50 €/pc.
FT4CH-sz	Wireless 4-way pushbutton without battery or wire, black, Swiss Design. With rocker and double rocker	EAN 4010312300992	44,50 €/pc.
FT4CH-W	Wireless 4-way pushbutton without battery or wire, white, Swiss Design. With rocker and double rocker	EAN 4010312300978	44,50 €/pc.
FT4CH+2P-w	Wireless 4-way pushbutton without battery or wire, white, Swiss Design. With rocker and double rocker, laser engraved	EAN 4010312312001	51,80 €/pc.
FT4S-ws	Wireless pushbutton Eljo sweden. With rocker and double rocker	EAN 4010312303191	44,50 €/pc.
FT55ES-wg	Wireless 4-way pushbutton Exxact sweden, without battery or wire. With rocker and double rocker	EAN 4010312314227	44,50 €/pc.
FT55RS-alpinweiß	Wireless 4-way pushbutton Sweden Jussi-white, without battery or wire. With rocker and double rocker	EAN 4010312314210	44,50 €/pc.
FT55EL-ws	Wireless 4-way pushbutton Finland eljo-white, without battery or wire. With rocker and double rocker	EAN 4010312316658	44,50 €/pc.

	FT55R-weiß	Wireless 4-way pushbutton white, without battery or wire, without frame. With rocker and double rocker	EAN 4010312313985	44,50 €/pc.
	FT55R-alpine white	Wireless 4-way pushbutton alpine white, without battery or wire, without frame. With rocker and double rocker	EAN 4010312313992	44,50 €/pc.
	FT55AH-al	Wireless 4-way pushbutton coated/aluminium paint, Berker and Merten partially. With rocker and double rocker	EAN 4010312318683	50,80 €/pc.
	FT55AH-ws	Wireless 4-way pushbutton white, Berker and Merten partially. With rocker and double rocker	EAN 4010312318676	43,20 €/pc.
	FT55AH-rw	Wireless 4-way pushbutton pure white, Berker and Merten partially. With rocker and double rocker	EAN 4010312318690	43,20 €/pc.
	FT55AH-wg	Wireless 4-way pushbutton pure white glossy, Berker and Merten partially. With rocker and double rocker	EAN 4010312318713	43,20 €/pc.
	FT55AH-sz	Wireless 4-way pushbutton black, Berker and Merten partially. With rocker and double rocker	EAN 4010312318706	43,20 €/pc.
	FT55AH-an	Wireless 4-way pushbutton anthracite, Berker and Merten partially. With rocker and double rocker	EAN 4010312318720	43,20 €/pc.
	FMT55/2-rw	Wireless 2-way mini pushbutton without battery or wire, with rocker, pure white	EAN 4010312312469	38,30 €/pc.
	FMT55/2-wg	Wireless 2-way mini pushbutton without battery or wire, with rocker, pure white glossy	EAN 4010312312483	38,30 €/pc.
	FMT55/4-rw	Wireless 4-way mini pushbutton without battery or wire, with double rocker, pure white	EAN 4010312312544	41,00 €/pc.
	FMT55/4-wg	Wireless 4-way mini pushbutton without battery or wire, with double rocker, pure white glossy	EAN 4010312312568	41,00 €/pc.
	FFT55Q-al	Wireless 1-way flat pushbutton without battery or wire, coated/aluminium paint	EAN 4010312312698	46,20 €/pc.
	FFT55Q-an	Wireless 1-way flat pushbutton without battery or wire, anthracite	EAN 4010312312650	37,00 €/pc.



FFT55Q-rw	Wireless 1-way flat pushbutton without battery or wire, pure white	EAN 4010312312636	37,00 €/pc.
FFT55Q-sz	Wireless 1-way flat pushbutton without battery or wire, black	EAN 4010312312643	37,00 €/pc.
FFT55Q-wg	Wireless 1-way flat pushbutton without battery or wire, pure white glossy	EAN 4010312312667	37,00 €/pc.
FFT55Q-ws	Wireless 1-way flat pushbutton without battery or wire, white	EAN 4010312312605	37,00 €/pc.
FT4F-al	Wireless 4-way flat pushbutton coated/aluminium paint, without battery or wire. With rocker and double rocker	EAN 4010312306697	48,80 €/pc.
FT4F-an	Wireless 4-way flat pushbutton anthracite, without battery or wire. With rocker and double rocker	EAN 4010312302996	41,00 €/pc.
FT4F-rw	Wireless 4-way flat pushbutton pure white, without battery or wire. With rocker and double rocker	EAN 4010312302941	41,00 €/pc.
FT4F-sz	Wireless 4-way flat pushbutton black, without battery or wire. With rocker and double rocker	EAN 4010312302965	41,00 €/pc.
FT4F-wg	Wireless 4-way flat pushbutton pure white glossy, without battery or wire. With rocker and double rocker	EAN 4010312302972	41,00 €/pc.
FT4F-ws	Wireless 4-way flat pushbutton white, without battery or wire. With rocker and double rocker	EAN 4010312302927	41,00 €/pc.
FIW-USB	Wireless infrared converter with USB port. Only 0.05 watt standby loss	EAN 4010312311158	93,50 €/pc.
FTK-rw	Wireless sensor Window/door contact, pure white	EAN 4010312305010	72,80 €/pc.
FTK-an	Wireless sensor Window/door contact, anthracite	EAN 4010312305164	74,90 €/pc.
FTKB-rw	Wireless sensor Window/door contact with battery, pure white	EAN 4010312316436	87,80 €/pc.

	FTKB-gr	Wireless window/door contact with battery, grey	EAN 4010312317228	102,90 €/pc.
94. 	FTKB-hg	Wireless window/door contact with battery, light grey	EAN 4010312318782	90,40 €/pc.
C è	FFG7B-rw	Wireless window handle sensor, pure white	EAN 4010312318638	80,90 €/pc.
CE II	FFTE-rw	Wireless window touch contact with energy generator, pure white	EAN 4010312319024	58,40 €/pc.
(€ <u>₹</u>	FTKE-rw	Wireless sensor with energy generator, wireless window/door contact, pure white	EAN 4010312315231	58,40 €/pc.
- CE ∑	FPE-1	Wireless position switch with energy generator blue	EAN 4010312315552	62,90 €/pc.
CE II	FPE-2	Wireless position switch with energy generator blue	EAN 4010312315484	62,90 €/pc.
	BW3	Mounting brackets, pure white	EAN 4010312907641	3,30 €/pc.
	FVST	Wireless encryption plug	EAN 4010312907290	1,00 €/pc.
#	FFD-al/anso	Wireless 50-channel remote control with display. Painted aluminium top, bottom anthracite-soft paint.	EAN 4010312313541	125,00 €/pc.
	FF8-al/anso	Wireless 8-channel remote control with 2 double rockers, painted aluminium top, bottom and rockers anthracite-soft paint.	EAN 4010312303931	102,80 €/pc.
	FHS8-rw	Wireless 8-channel hand-held transmitter, pure white. With 2 double rockers	EAN 4010312300862	75,00 €/pc.
	FHS8-wg	Wireless 8-channel hand-held transmitter, pure white glossy. With 2 double rockers	EAN 4010312300947	75,00 €/pc.
	FHS12-rw	Wireless 12-channel hand-held transmitter, pure white. With 3 double rockers	EAN 4010312300343	109,10 €/pc.



FHS12-wg	Wireless 12-channel hand-held transmitter, pure white glossy. With 3 double rockers	EAN 4010312300954	109,10 €/pc.
FMH8-rw	Wireless 8-channel mini hand-held transmitter, pure white	EAN 4010312311714	75,80 €/pc.
FMH8-an	Wireless 8-channel mini hand-held transmitter, anthracite	EAN 4010312311707	75,80 €/pc.
FMH8-al/an	Wireless 8-channel mini hand-held transmitter. Top aluminium, bottom and pushbuttons anthracite-soft paint	EAN 4010312313282	83,80 €/pc.
FMH2-ws	Wireless 2-way sensor mini hand-held transmitters, white	EAN 4010312303450	39,70 €/pc.
FMH2-rw	Wireless 2-way sensor mini hand-held transmitters, pure white	EAN 4010312303467	39,70 €/pc.
FMH2-wg	Wireless 2-way sensor mini hand-held transmitters, pure white glossy	EAN 4010312303481	39,70 €/pc.
FMH2-sz	Wireless 2-way sensor mini hand-held transmitters, black	EAN 4010312303474	39,70 €/pc.
FMH2-an	Wireless 2-way sensor mini hand-held transmitters, anthracite	EAN 4010312303498	39,70 €/pc.
FMH2S-ws	Wireless 2-way sensor mini hand-held transmitters, white	EAN 4010312303368	42,00 €/pc.
FMH2S-rw	Wireless 2-way sensor mini hand-held transmitters, pure white	EAN 4010312303375	42,00 €/pc.
FMH2S-wg	Wireless 2-way sensor mini hand-held transmitters, pure white glossy	EAN 4010312303399	42,00 €/pc.
FMH2S-sz	Wireless 2-way sensor mini hand-held transmitters, black	EAN 4010312303382	42,00 €/pc.
FMH2S-an	Wireless 2-way sensor mini hand-held transmitters, anthracite	EAN 4010312303405	42,00 €/pc.

	FMH4-ws	Wireless 4-way sensor mini hand-held transmitters, white	EAN 4010312301029	42,00 €/pc.
	FMH4-rw	Wireless 4-way sensor mini hand-held transmitters, pure white	EAN 4010312301036	42,00 €/pc.
	FMH4-wg	Wireless 4-way sensor mini hand-held transmitters, pure white glossy	EAN 4010312301067	42,00 €/pc.
	FMH4-sz	Wireless 4-way sensor mini hand-held transmitters, black	EAN 4010312301012	42,00 €/pc.
	FMH4-an	Wireless 4-way sensor mini hand-held transmitters, anthracite	EAN 4010312301043	42,00 €/pc.
	FMH4S-ws	Wireless 4-way sensor mini hand-held transmitters, white	EAN 4010312301371	44,30 €/pc.
	FMH4S-rw	Wireless 4-way sensor mini hand-held transmitters, pure white	EAN 4010312301562	44,30 €/pc.
	FMH4S-wg	Wireless 4-way sensor mini hand-held transmitters, pure white glossy	EAN 4010312301586	44,30 €/pc.
	FMH4S-sz	Wireless 4-way sensor mini hand-held transmitters, black	EAN 4010312301555	44,30 €/pc.
	FMH4S-an	Wireless 4-way sensor mini hand-held transmitters, anthracife	EAN 4010312301579	44,30 €/pc.
-	FMH2S-wr	Wireless 2-way mini hand-held transmitter for calling systems.  Pure white with red lettering, with grey carry strap	EAN 4010312303337	50,40 €/pc.
	FMH1W-sz	Wireless 1-way mini hand-held transmitter, waterproof, black	EAN 4010312315293	64,70 €/pc.
	TF-TTB	Tap-radio® pushbutton tracker	EAN 4010312317563	58,20 €/pc.



## Accessories active and passive wireless sensors and wired bus sensors

R1E-wg	Single frame, pure white glossy	EAN 4010312907122	2,90 €/pc.
R2E-wg	Double frame, pure white glossy	EAN 4010312907115	4,10 €/pc.
R3E-wg	Triple frame, pure white glossy	EAN 4010312907108	4,30 €/pc.
R4E-wg	4-way frame, pure white glossy	EAN 4010312907603	4,90 €/pc.
RF1E-wg	Single flat frame, pure white glossy	EAN 4010312907245	2,90 €/pc.
RF2E-wg	Double flat frame, pure white glossy	EAN 4010312907252	4,10 €/pc.
RF3E-wg	Triple flat frame, pure white glossy	EAN 4010312907269	4,30 €/pc.
RF4E-wg	4-way flat frame, pure white glossy	EAN 4010312907610	4,90 €/pc.
R2UE-wg	Universal frame E-Design internal dimensions 65x65mm, pure white glossy	EAN 4010312908327	4,10 €/pc.
R3UE-wg	Universal frame E-Design internal dimensions 65x65mm, pure white glossy	EAN 4010312908334	4,30 €/pc.
R1UE55-wg	Universal frame E-Design internal dimensions 55x55mm, pure white glossy	EAN 4010312908341	2,90 €/pc.
R2UE55-wg	Universal frame E-Design internal dimensions 55x55mm, pure white glossy	EAN 4010312908365	4,10 €/pc.

R3UE55-wg	Universal frame E-Design internal dimensions 55x55mm, pure white glossy	EAN 4010312908358	4,30 €/pc.
R-ws	Single frame, white	EAN 4010312902356	3,90 €/pc.
R-rw	Single frame, pure white	EAN 4010312902370	3,90 €/pc.
R-wg	Single frame, pure white glossy	EAN 4010312902400	3,90 €/pc.
R-sz	Single frame, black	EAN 4010312902394	3,90 €/pc.
R-an	Single frame, antracite	EAN 4010312902424	3,90 €/pc.
R-al	Single frame, coated/aluminium paint	EAN 4010312902363	4,70 €/pc.
R2-ws	Double frame, white	EAN 4010312903681	4,20 €/pc.
R2-rw	Double frame, pure white	EAN 4010312903704	4,20 €/pc.
R2-wg	Double frame, pure white glossy	EAN 4010312903728	4,20 €/pc.
R2-sz	Double gle frame, black	EAN 4010312903698	4,20 €/pc.
R2-an	Double frame, antracite	EAN 4010312903711	4,20 €/pc.
R2-al	Double frame, coated/aluminium paint	EAN 4010312903742	8,90 €/pc.
R3-ws	Triple frame, white	EAN 4010312903766	4,40 €/pc.





R3-rw	Triple frame, pure white	EAN 4010312903780	4,40 €/pc.
R3-wg	Triple frame, pure white glossy	EAN 4010312903803	4,40 €/pc.
R3-sz	Triple gle frame, black	EAN 4010312903773	4,40 €/pc.
R3-an	Triple frame, antracite	EAN 4010312903797	4,40 €/pc.
R3-al	Triple frame, coated/aluminium paint	EAN 4010312903827	11,50 €/pc.
R1F-ws	Single frame for wireless flat pushbutton, white, internal dimensions 63x63mm	EAN 4010312904299	3,90 €/pc.
R1F-rw	Single frame for wireless flat pushbutton, pure white, internal dimensions 63x63mm	EAN 4010312904312	3,90 €/pc.
R1F-wg	Single frame for wireless flat pushbutton, pure white glossy, internal dimensions 63x63mm	EAN 4010312904343	3,90 €/pc.
R1F-sz	Single frame for wireless flat pushbutton, black, internal dimensions 63x63mm	EAN 4010312904336	3,90 €/pc.
R1F-an	Single frame for wireless flat pushbutton, anthracite, internal dimensions 63x63mm	EAN 4010312904909	3,90 €/pc.
R1F-al	Single frame for wireless flat pushbutton, coated/aluminium paint, internal dimensions 63x63mm	EAN 4010312905715	6,30 €/pc.
R2F-ws	Double frame for wireless flat pushbutton, white, internal dimensions 63x63mm	EAN 4010312904367	4,20 €/pc.
R2F-rw	Double frame for wireless flat pushbutton, pure white, internal dimensions 63x63mm	EAN 4010312904381	4,20 €/pc.
R2F-wg	Double frame for wireless flat pushbutton, pure white glossy, internal dimensions 63x63mm	EAN 4010312904411	4,20 €/pc.



R2F-sz	Double frame for wireless flat pushbutton, black, internal dimensions 63x63mm	EAN 4010312904404	4,20 €/pc.
R2F-an	Double frame for wireless flat pushbutton, anthracite, internal dimensions 63x63 mm	EAN 4010312904435	4,20 €/pc.
R2F-al	Double frame for wireless flat pushbutton, coated/aluminium paint, internal dimensions 63x63mm	EAN 4010312905739	8,90 €/pc.
R3F-ws	Triple frame for wireless flat pushbutton, white, internal dimensions 63x63mm	EAN 4010312904442	4,40 €/pc.
R3F-rw	Triple frame for wireless flat pushbutton, pure white, internal dimensions 63x63mm	EAN 4010312904459	4,40 €/pc.
R3F-wg	Triple frame for wireless flat pushbutton, pure white glossy, internal dimensions 63x63mm	EAN 4010312904480	4,40 €/pc.
R3F-sz	Triple frame for wireless flat pushbutton, black, internal dimensions 63x63mm	EAN 4010312904473	4,40 €/pc.
R3F-an	Triple frame for wireless flat pushbutton, anthracite, internal dimensions 63x63mm	EAN 4010312904503	4,40 €/pc.
R3F-al	Triple frame for wireless flat pushbutton, coated/aluminium paint, internal dimensions 63x63mm	EAN 4010312905760	11,50 €/pc.
QR1Gw-gw	The Q-design. Single frame with floating front panel. White glass frame with white glossy body	EAN 4010312313237	28,00 €/pc.
QR1Gs-gw	The Q-design. Single frame with floating front panel. Black glass frame with black glossy body	EAN 4010312313220	16,40 €/pc.
QR1Gs-sz	The Q-design. Single frame with floating front panel. Black glass frame with black body	EAN 4010312313244	16,40 €/pc.
QR1K-gw	The Q-design. Single frame with floating front panel. White glossy plastic frame	EAN 4010312313213	3,50 €/pc.
QR1K-an	The Q-design. Single frame with floating front panel. Anthracite plastic frame	EAN 4010312313251	3,80 €/pc.



	QR1K-as	The Q-design. Single frame with floating front panel.  Aluminium-silver plastic frame	EAN 4010312313268	5,70 €/pc.
	QR2Gw-gw	The Q-design. Double frame with floating front panel. White glass frame with white glossy body	EAN 4010312313305	45,10 €/pc.
В	QR2Gs-gw	The Q-design. Double frame with floating front panel. Black glass frame with black glossy body	EAN 4010312313312	45,10 €/pc.
В	QR2Gs-sz	The Q-design. Double frame with floating front panel. Black glass frame with black body	EAN 4010312313329	45,10 €/pc.
	QR2K-gw	The Q-design. Double frame with floating front panel. White glossy plastic frame	EAN 4010312313343	7,20 €/pc.
B	QR2K-an	The Q-design. Double frame with floating front panel. Anthracite plastic frame	EAN 4010312313350	7,20 €/pc.
	QR2K-as	The Q-design. Double frame with floating front panel.  Aluminium-silver plastic frame	EAN 4010312313367	8,30 €/pc.
	QR3Gw-gw	The Q-design. Triple frame with floating front panel. White glass frame with white glossy body	EAN 4010312313374	73,90 €/pc.
_ H	QR3Gs-gw	The Q-design. Triple frame with floating front panel. Black glass frame with black glossy body	EAN 4010312313381	73,90 €/pc.
	QR3Gs-sz	The Q-design. Triple frame with floating front panel. Black glass frame with black body	EAN 4010312313398	73,90 €/pc.
	QR3K-gw	The Q-design. Triple frame with floating front panel. White glossy plastic frame	EAN 4010312313411	7,00 €/pc.
	QR3K-an	The Q-design. Triple frame with floating front panel. Anthracite plastic frame	EAN 4010312313428	8,50 €/pc.
	QR3K-as	The Q-design. Triple frame with floating front panel.  Aluminium-silver plastic frame	EAN 4010312313435	14,40 €/pc.
Vertical of the second of the	FTVW	Wireless pushbutton encryption rocker	EAN 4010312907030	1,40 €/pc.

BLA65-wg	Blind cover for R1E, R2E, R3E and R4E wg, pure white glossy	EAN 4010312907139	3,30 €/pc.
BLA65F-wg	Blind cover for RF1E, RF2E, RF3E and RF4E, pure white glossy	EAN 4010312907412	3,30 €/pc.
BLA55-ws	Blind cover BLA55 for R, R2 and R3 as well as all Q frames, white	EAN 4010312905869	3,30 €/pc.
BLA55-rw	Blind cover BLA55 for R, R2 and R3 as well as all Q frames, pure white	EAN 4010312905883	3,30 €/pc.
BLA55-wg	Blind cover BLA55 for R, R2 and R3 as well as all Q frames, pure white glossy	EAN 4010312905913	3,30 €/pc.
BLA55-sz	Blind cover BLA55 for R, R2 and R3 as well as all Q frames, black	EAN 4010312905906	3,30 €/pc.
BLA55-an	Blind cover BLA55 for R, R2 and R3 as well as all Q frames, anthracite	EAN 4010312905937	3,30 €/pc.
BLF-rw	Blind cover for R1F, R2F and R3F, pure white	EAN 4010312904237	3,30 €/pc.
BLF-wg	Blind cover for R1F, R2F and R3F, pure white glossy	EAN 4010312904268	3,30 €/pc.
BLF-sz	Blind cover for R1F, R2F and R3F, black	EAN 4010312904251	3,30 €/pc.
BLF-an	Blind cover for R1F, R2F and R3F, anthracite	EAN 4010312904282	3,30 €/pc.
DSS65-wg	DSS with socket outlet front, pure white glossy	EAN 4010312315996	5,70 €/pc.
DSS65F-wg	DSS with socket outlet front, pure white glossy	EAN 4010312316818	5,70 €/pc.
DSS+SD055-ws	DSS with socket outlet front, white	EAN 4010312310830	6,60 €/pc.



	DSS+SD055-rw	DSS with socket outlet front, pure white	EAN 4010312310854	6,60 €/pc.
	DSS+SD055-wg	DSS with socket outlet front, pure white glossy	EAN 4010312310885	6,60 €/pc.
	DSS+SD055-sz	DSS with socket outlet front, black	EAN 4010312310878	6,40 €/pc.
	DSS+SD055-an	DSS with socket outlet front, anthracite	EAN 4010312310908	6,60 €/pc.
	DSS+SDOF-ws	DSS with socket outlet front, white	EAN 4010312311295	6,60 €/pc.
	DSS+SDOF-rw	DSS with socket outlet front, pure white	EAN 4010312311318	6,60 €/pc.
	DSS+SDOF-wg	DSS with socket outlet front, pure white glossy	EAN 4010312311349	6,60 €/pc.
	DSS+SD0F-sz	DSS with socket outlet front, black	EAN 4010312311332	6,40 €/pc.
	DSS+SDOF-an	DSS with socket outlet front, anthracite	EAN 4010312311363	6,60 €/pc.
<b>iii</b>	TAE65/3-wg	3-socket TAE cover for E-design frames, pure white glossy	EAN 4010312907337	2,90 €/pc.
	TV65/2-wg	TV/RF cover for E-design frames, pure white glossy	EAN 4010312907351	2,90 €/pc.
<b>●</b> ⊕ • • • • • • • • • • • • • • • • • •	TV65/3-wg	TV/RF/SAT cover for E-design frames, pure white glossy	EAN 4010312907382	2,90 €/pc.
	TV65/4-wg	TV/RF/SAT cover for E-design frames, pure white glossy	EAN 4010312907634	2,90 €/pc.
	UAE65/2-wg	2-hole UAE/IAE cover for E-design frames, pure white glossy	EAN 4010312907399	2,90 €/pc.

[iii]	TAE65F/3-wg	Cover for TAE 3-socket, pure white glossy	EAN 4010312907344	2,90 €/pc.
	TV65F/2-wg	Cover for TV/RF, pure white glossy	EAN 4010312907368	2,90 €/pc.
	TV65F/3-wg	Cover for TV/RF, pure white glossy	EAN 4010312907375	2,90 €/pc.
<b>● ● ● ● ● ●</b>	TV65F/4-wg	Cover for TV/RF/SAT, pure white glossy	EAN 4010312907627	2,90 €/pc.
	UAE65F/2-wg	Cover for UAE/IAE, pure white glossy	EAN 4010312907405	2,90 €/pc.
	S065	Desktop base	EAN 4010312908143	7,10 €/pc.
	\$055	Desktop base	EAN 4010312908150	7,10 €/pc.
	FSAF-gr	Cover foil, grey	EAN 4010312908136	3,30 €/pc.
Species 17 Think 1-2 .  Species 2.1 A.  Species 2.7 Act 0-1 E.	FSAF-gr LGI	Cover foil, grey  Laser engraving individually, create new pictogram	EAN 4010312908136  EAN 4010312908310	3,30 €/pc. 9,90 €/pc.
Tool 3 + 4		Laser engraving individually, create new		·
Section of the sectio	LGI	Laser engraving individually, create new pictogram  Rocker for bus flat pushbutton E-design, pure	EAN 4010312908310	9,90 €/pc.
Section of the sectio	LGI W-B4FT65	Laser engraving individually, create new pictogram  Rocker for bus flat pushbutton E-design, pure white glossy  Double rocker for bus flat pushbutton	EAN 4010312908310  EAN 4010312907207	9,90 €/pc. 6,20 €/pc.
Section of the sectio	LGI W-B4FT65 DW-B4FT65	Laser engraving individually, create new pictogram  Rocker for bus flat pushbutton E-design, pure white glossy  Double rocker for bus flat pushbutton E-design, pure white glossy  Rocker for bus pushbutton E-design,	EAN 4010312908310  EAN 4010312907207  EAN 4010312907191	9,90 €/pc. 6,20 €/pc. 6,60 €/pc.



W-F4T65	Rocker for wireless pushbutton E-design pure white glossy	EAN 4010312907160	6,20 €/pc.
DW-F4T65	Double rocker for wireless pushbutton E-design pure white glossy	EAN 4010312907177	6,60 €/pc.
W-F4FT65B	Rocker for wireless flat pushbutton E-design with batteries pure white glossy	EAN 4010312908051	6,20 €/pc.
DW-F4FT65	Double rocker for wireless flat pushbutton E-design with batteries pure white glossy	EAN 4010312908068	6,60 €/pc.
W-F4T65B	Rocker for wireless pushbutton E-design with batteries pure white glossy	EAN 4010312907276	6,20 €/pc.
DW-F4T65B	Double rocker for wireless pushbutton E-design with batteries pure white glossy	EAN 4010312907283	6,60 €/pc.
W-WT/WS65	Rocker for rocker switches and rocker push- buttons E-design pure white glossy	EAN 4010312908075	6,20 €/pc.
W-B4T55	Rocker for bus pushbuttons ws/rw/wg/sz/an/al	EAN 4010312907573	6,20 €/pc.
DW-B4T55	Double rocker for bus pushbuttons ws/rw/wg/sz/an/al	EAN 4010312907580	6,60 €/pc.
W-F4T55B	Rocker for wireless pushbuttons 55x55mm	EAN 4010312907313	6,20 €/pc.
DW-F4T55B	Double rocker for wireless pushbuttons 55x55mm	EAN 4010312907320	6,60 €/pc.
W-FFT55Q	Rocker for wireless flat pushbuttons	EAN 4010312906255	6,20 €/pc.
W-FMT55/2	Rocker for wireless mini pushbuttons	EAN 4010312906323	6,20 €/pc.
DW-FMT55/4	Double rocker for wireless mini pushbuttons	EAN 4010312906330	6,60 €/pc.

	W-FT4CH	Rocker for wireless pushbuttons Swiss Design	EAN 4010312906347	6,20 €/pc
	DW-FT4CH	Double rocker for wireless pushbuttons Swiss Design	EAN 4010312906385	6,60 €/pc.
	W-FT4F	Rocker for wireless flat pushbuttons	EAN 4010312906262	6,20 €/pc.
	DW-FT4F	Double rocker for wireless flat pushbuttons	EAN 4010312906279	6,60 €/pc.
	W-FT55	Rocker for wireless pushbuttons 55x55mm	EAN 4010312906286	6,20 €/pc.
	DW-FT55	Double rocker for wireless pushbuttons 55x55 mm	EAN 4010312906293	6,60 €/pc
	W-FT55R	Rocker for wireless pushbuttons 55x55mm for Busch Reflex and Duro	EAN 4010312907047	6,20 €/pc.
	DW-FT55R	Double rocker for wireless pushbuttons 55x55mm for Busch Reflex and Duro	EAN 4010312907061	6,60 €/pc.
	W-WT/WS55	Rocker for rocker switch and rocker push- button	EAN 4010312908112	6,20 €/pc.
A 9	DW-FF8	Double rocker for wireless remote control anthracite-soft paint	EAN 4010312906378	6,60 €/pc.
	W-FHS/FMH2	Rocker for wireless hand-held transmitters and mini hand-held transmitters	EAN 4010312906354	6,20 €/pc.
	DW-FHS/FMH4	Double rocker for wireless hand-held transmitters and mini hand-held transmitters	EAN 4010312906361	6,60 €/pc.
1.	AR65/5.2-wg	Adapter frame, pure white glossy	EAN 4010312907481	1,00 €/pc.
	AR65/4.8-wg	Adapter frame, pure white glossy	EAN 4010312907597	1,00 €/pc.



AR65/3.4-wg	Adapter frame, pure white glossy	EAN 4010312907498	1,00 €/pc.
AR65/2.8-wg	Adapter frame, pure white glossy	EAN 4010312907436	1,00 €/pc.
AR65/2.5-wg	Adapter frame, pure white glossy	EAN 4010312907429	1,00 €/pc.
ZR55/50-wg	Intermediate frame 55 to 50mm for frames R, R2, R3, pure white glossy	EAN 4010312907504	1,50 €/pc.
<b>ZR65/55-</b> wg	Intermediate frame 55 mm for E-design frames R1E, R2E and R3E, pure white glossy	EAN 4010312907467	1,10 €/pc.
<b>ZR65/50-</b> wg	Intermediate frame 50mm for E-design frames R1E, R2E and R3E, pure white glossy	EAN 4010312907443	1,50 €/pc.
ZR65F/55-wg	Intermediate frame 55 mm for E-design flat frames RF1E, RF2E and RF3E, pure white glossy	EAN 4010312907474	1,10 €/pc.
ZR65F/50-wg	Intermediate frame 50mm for E-design flat frames RF1E, RF2E and RF3E, pure white glossy	EAN 4010312907450	1,10 €/pc.
BBH65/12VDC-wg	Bus motion/brightness sensor, pure white glossy	EAN 4010312318966	71,60 €/pc.
BTR65H/12VDC-wg	Bus temperature controller with hand wheel, pure white glossy	EAN 4010312318959	61,30 €/pc.
 BUTH65D/12VDC- wg	Bus thermo clock/hygrostat with display, pure white glossy	EAN 4010312318942	69,60 €/pc.
BTF65/12V DC-wg	Bus temperature sensor, pure white glossy	EAN 4010312319741	56,30 €/pc.
BBH55/12VDC-wg	Bus motion/brightness sensor, pure white glossy	EAN 4010312319789	71,60 €/pc.
BTR55H/12VDC-wg	Bus temperature controller with hand wheel, pure white glossy	EAN 4010312319796	61,30 €/pc.

	BUTH55D/12VDC- wg	Bus thermo clock/hygrostat with display, pure white glossy	EAN 4010312319802	69,60 €/pc.
2 ×	BTF55/12V DC-wg	Bus temperature sensor, pure white glossy	EAN 4010312319819	<b>56,30 €/pc</b> .






## Accessories wireless and others

	BPD Blisterpack dimming	Blisterpack dimming	EAN 4010312314241	138,50 €/pc.
	BPS Blisterpack switching	Blisterpack switching	EAN 4010312314258	117,00 €/pc.
	BPD55 Blisterpack dimming	Blisterpack dimming	EAN 4010312317839	138,50 €/pc.
	BPS55 Blisterpack switching	Blisterpack switching	EAN 4010312317846	117,00 €/pc.
	BPB Blisterpack shading	Blisterpack shading	EAN 4010312316979	125,40 €/pc.
	BPB55 Blisterpack shading	Blisterpack shading	EAN 4010312317822	125,40 €/pc.
	STS14	Jumpers	EAN 4010312314975	6,10 €/pc.
	WP50	WET.PROTECT e.nautic 50 ml	EAN 4010312907306	21,10 €/pc.
1	FPP12	Wireless Powernet phase coupler	EAN 4010312311769	25,40 €/pc.
and the second s	APPModule	Multimedia (sonos) EnOcean gateway	EAN 4010312318270	350,80 €/pc.
•/	IP-Cam	IP camera with motion detector	EAN 4010312319031	165,00 €/pc.
	FMP3	Wireless MP3 player	EAN 4010312317853	138,30 €/pc.
	KNX ENO 626	EnOcean KNX gateway	EAN 4010312318911	267,80 €/pc.

	KNX ENO 632	EnOcean KNX gateway	EAN 4010312315361	389,00 €/pc.
	KNX ENO 636	EnOcean KNX gateway	EAN 4010312318904	440,40 €/pc.
### TO A T	P10 Probare	portable wireless level meter	EAN 4010312317068	111,60 €/pc.
	FTE210	Wireless pushbutton insert with EnOcean energy generator	EAN 4010312318546	29,20 €/pc.
	FTE215	Wireless pushbutton insert with EnOcean energy generator	EAN 4010312318539	33,20 €/pc.
	FTE215BLE	Wireless pushbutton insert with EnOcean energy generator	EAN 4010312318553	35,20 €/pc.
	FRP61-230V	1 and 2 level wireless repeater	EAN 4010312300251	53,70 €/pc.
	FSRP-230V	1 and 2 level wireless socket repeater	EAN 4010312314999	90,30 €/pc.
	FRP70-230V	1 and 2 level wireless repeater with small antenna	EAN 4010312306482	94,20 €/pc.
	FRP65/230V-wg	2 level wireless repeater, pure white glossy	EAN 4010312315927	72,90 €/pc.
	FARP60-230V	Outside wireless repeater 1 and 2 levels	EAN 4010312310137	69,70 €/pc.
	FSM60B	Wireless transmitter module with batteries for water sensor and pushbuttons	EAN 4010312316092	90,60 €/St.
	FASM60-UC	Wireless outdoor transmitter module UC	EAN 4010312311998	66,90 €/pc.
	FA250	Wireless antenna with 250cm cable, black	EAN 4010312300244	21,10 €/pc.
	FA250-gw	Wireless antenna with 250cm cable, grey white	EAN 4010312317051	21,10 €/pc.



	FHM175	HF ground for the HF wireless antenna FA250	EAN 4010312313121	64,60 €/pc.
	FA200	High-performance receive antenna with 200 cm cable	EAN 4010312303306	68,50 €/pc.
	FAV5	Antenna extension 5 m	EAN 4010312302897	27,70 €/pc.
	FAV10	Antenna extension 10 m	EAN 4010312302903	34,70 €/pc.
	FAG65-wg	Wireless antenna in the housing, pure white glossy	EAN 4010312315910	32,70 €/pc.
•	K81 surface cap	Surface cap for series 81, Ixwxh = 60x60x37 mm.	EAN 4010312901236	4,70 €/pc.
	K9 surface cap	Surface cap for series 91, lxwxh = 60x60x35 mm.	EAN 4010312900734	2,10 €/pc.
	DS12	Spacer	EAN 4010312900987	1,00 €/pc.
	ST12-16A	Socket outlet 16 A/250 V AC	EAN 4010312700358	18,10 €/pc.
	PK18 sealing cap	Sealing cap for all sealable 1 PU DIN rail-mounted devices	EAN 4010312901403	1,00 €/pc.
	S+D 25	Screws and rawl plugs	EAN 4010312906231	5,00 €/pc.
	RC12-230V	Triple RC module	EAN 4010312201596	31,70 €/pc.
	GBA12	Housing for operating instructions	EAN 4010312901779	2,10 €/pc.
	GBA14	Housing for operating instructions, white-blue	EAN 4010312906422	2,10 €/pc.



in residential buildings

Scan the QR code: Here is the

Operating manual for Series 14

RS485 bus DIN rail mounted devices





The Wireless Building has its own laws which we understand better every day. We want to share this knowledge with you so that we smoothly learn to install this technology.

#### 01 planning of range

The precise planning of the transmission path is prerequisite for a properly operating system.

#### 02 maintenance

Due to the batteryless EnOcean technology the system is very low-maintenance. Substantial costs and maintenance effort can be saved.

#### 03 encoding


Absolute security and safety – due to the encoded signal transmission of the wireless building.

#### 04 price and costs

It's amazing but the costs for a wireless installation are comparable with a conventional standard installation — with increased comfort!








The transmission power and transmission frequency of the Wireless Building in the 868 MHz band are limited, so there is little wireless traffic in this band. Our sensors and actuators only transmit wireless telegrams if this is really necessary. The batteryless or wireless sensors can do this in any case only when needed. The transmission power of Eltako Wireless Building is only about 0.01 watts, the transmission power of a smartphone however 0.25 to about 1 watt!

In fact, you can install a reliable, inexpensive, safe and comfortable Wireless Building with 868 MHz sensors and actuators.

The **range** has to be paid attention to when it comes to planning and implementation.

In addition, the Wireless Building has to be made sustainable for the future. Electronics does not live forever and their **maintenance** must therefore simply be unconditionally. If needed the Wireless Building has to have a standard **encoding** to prevent unwanted external access. All this, of course, to a relatively attractive price.

These four factors – range, maintenance, encoding and price – largely determine the type of installation of the Wireless Building.




For the sustainable Wireless Building actuators should be installed as modular devices in distribution cabinets – regardless of the nature and use of the building.

05

The decentralised mounting of the actuators in wall-in boxes has its own charm but should be limited to retrofitting and simple renovation

because of the complicated maintenance and higher costs. It would not be acceptable in the future to look for many built-in devices in a building at the end of their lifes, to remove panels and to teach-in replacement items. In addition, each in-wall actuator has its own expensive wireless unit which also requires expensive storage for the encoding.

Actuators for wall-in boxes should be mounted behind the switches so they are easily replaceable. Not hidden, for example, in roller shutters. However the distribution cabinets are always accessible. A backup of the programmed functions and an uploading in exchanged actuators will be part of the new modular series 14 with an USB connection and a software tool. In addition functions can be realised which are not possible for in-wall actuators due to space reasons. The wireless unit including encoding is only available once in the wireless antenna module. Thats why RS485-bus connected actuators are cheaper than the built-in devices. Energy meters are also very easy to integrate over the RS485 bus, even if they are on a different floor.



06

72





The classical one-family house with basement, ground and top floor allows many installation methods of the actuators as modular units.

The new series 14 is so flexible that any electrician can retain his familiar and proven method of installation.

#### 05 centralised mounting

In the centralised mounting the actuators will be installed in a sub-distribution cabinet and a RS485 bus will be built. The consumers will be controlled centrally from the sub-distributor. The picture shows the 14 series with jumpers instead of cross wiring.

#### 06 RS485 bus rail-mounted devices


The new Series 14 is bidirectional, so it can send and receive. A sub-bus with additional antenna modules can be added at any time.

Important is the arrangement of the antennas and/or repeater. The wireless antenna module FAM14 is conveniently centrally installed in the building. The bi-directional wired Eltako RS485 bus connects this antenna module with all actors. It does not matter where they are. Either all together in a distribution or spread over several sub-distributions.

The actuators are connected with simple plug-in bridges regarding bus and power supply.

A standard shielded 4-conductor telephone cable is enough for a bus to connect multiple distributions.

Over a RS485-sub-bus up to three additional antennas can be arranged in the building so that the reception of wireless sensor telegrams is guaranteed everywhere. In addition — or alternatively — repeaters can be used which do not require a bus connection.



# For the one-family house we recommend the mounting of the wireless actuators in a distribution cabinet or sub-distributor per floor.

The bidirectional wireless antenna module FAM14 is located in the distributor on the ground floor at the ground floor actuators. The bus line of the Eltako RS485 bus is shielded with a normal telephone line to the distributor and also performed in the attic for distribution in the basement.

These sub-distributors are preferably directly above and below the basement distributor so that it's radioed as vertical as possible through the concrete ceiling when using repeaters.


The wireless antenna of the FAM connects the sensors of the basement and the attic with the RS485

bus. Normally an external antenna is not required. If the range to the farest sensors is not sufficient, repeaters are installed. One repeater each as a rail-mounted device in the distributors in the basement and the attic. And one repeater each on both sides of the longest diagonal of each floor, about midway between the distributor and the end of the diagonal. The repeaters on the diagonals of several stories should also be arranged vertically, so that an optimal wireless connection is guaranteed.

With this method of installation every wireless sensor telegram is received by a maximum of 2 times and forwarded - just as it should be.

Repeaters are much cheaper than additional antennas to be sold into the downstream of a bus.





Quite apart from the visibility and the installation costs of the antenna including special cable to the distributors. However the repeaters either disap

pear in the distributor or

are mounted in-wall next to the box due to the power outlet.

## Use of wireless building visualisation and control software GFVS-4.0 with the computer SafeIV.

With a low cost gateway information from the FAM14 passed to the RS485 bus and the responds of bidirectional actuators are headed directly to the Smart Home control unit SafelV. Likewise, manual or automated instructions from the GFVS are transferred into the bus.

#### An apartment in an apartment house

The apartment corresponds to the ground floor of the one-family house and is therefore installed identical. If energy meters should be connected in the basement, it is possible at any time via a powernet connection.

In new constructions we recommend a conduit for an RS485 bus line in addition to the energy meters.

## Eltako Smart Home Professional Reference list for Germany



#### 1 Asslar – Centre for Elderly Care

- Lighting control (incl. automated)
- Remote access by tablet
- 273 sensors and actuators incl. GFVS Safe software with BSC-BAP and DALI/EnOcean control

#### 2 Berlin – Child day care centre

- Heating control
- 44 sensors and actuators

#### 3 Berlin – Tax Office

- Refurbishment of old buildings
- 652 sensors and actuators

#### 4 Bonn – Students' residence

- DALI
- Hall lighting
- 8 actuators Panel control

## 5 Coesfeld – Coesfeld fire brigade

- Shading system control incl. central control and weather data evaluation
- 29 sensors and actuators

## 6 Dortmund – DASA Working World Exhibition

- Lighting control and dimmers
- incl. GFVS 3.0 software
- 70 sensors and actuators + 2x GFVS-Touch





#### 7 Dresden – Hotel am blauen Wunder

- Blinds control
- 24 sensors and actuators

- Lighting
- Shading
- Window control
- Heating control
- 106 sensors and actuators incl. Smart Home central unit GFVS-Safe II and weather data evaluation

#### 8 Düsseldorf – Freeman tavern 9 Europa – WeberHaus homes

- Home Series Generation 5.0
- Equipment package Installation with wireless
- Min. 33 sensors and actuators per house (basic equipment) With GFVS-Home software

#### 10 Fulda – Detached house

- Lighting
- Shading
- Gate control
- Pond control
- Weather data evaluation incl. GFVS software
- 40 sensors and actuators incl. Smart Home central unit GFVS-Safe II and weather data evaluation

#### 11 Gescher – Garden lighting

- Lighting control with scenes
- 14 sensors and actuators

#### 12 Hamminkeln – BZ Bauelemente DIY centre

- Lighting control
- Shading
- Gate surveillance
- Meter data evaluation
- Weather data evaluation
- 29 sensors and actuators **GFVS Touch Server**

## Eltako Smart Home Professional Reference list for Germany



#### 13 Heinsberg – Detached house

- GFVS software with external access by smartphone
- Weather data evaluation
- 27 sensors and actuators with GFVS-Home software, GFVS-Safe software and **GFVS Clients**

#### 14 Heist – office building

- Lighting control
- Shading system control
- remote control
- Heating control
- 60 sensors and actuators

#### 15 Cologne – Grundy UFA TV 16 State of Brandenburg – Produktions GmbH film studios

- Remote control and dimming of floodlights
- 29 sensors and actuators

## Mittelbrandenburgische Sparkasse (bank)

- Lighting control
- 103 sensors and actuators

#### 17 Mönchengladbach – Wanlo church

- Light scene control
- Time and central functions
- Wireless remote control
- 52 sensors and actuators **GFVS Touch Server**

#### 18 Oberhausen – KITEV (Kultur im Turm eV.)

- Lighting control
- Single room control
- Meter
- 106 sensors and actuators





## 19 Sankt Augustin – Fraunhofer Institute

- Window monitoring
- Heating control
- Daylight control
- Energy metering
- Control by GFVS software
- 50 sensors and actuators with GFVS-Home software

### 23 Wesel – large car park and small storage buildings

- Meter readout by wireless
- Power management
- Three-phase and singlephase electricity meter
- With GFVS-Energy software

#### 20 Saarlouis – Museum Kaserne 6

- Lighting control incl. dimmers
- 110 sensors and actuators With GFVS-Professional software

### 24 Wesel – Kawohl Verlag

- Lighting
- Shading
- Heating control
- Outdoor lighting
- Central functions
- 60 sensors and actuators incl. Smart Home central unit GFVS-Safe IV
- IP gateways

#### 21 Steinfurt – new building for Zweiradcenter Steinfurt

- Sensor-controlled lighting
- Electrically controlled dormer window ventilation
- Camera integration for security and remote access
- 24 sensors and actuators incl. GFVS-Safe and 5x IP cameras

#### 22 Walldorf – Hotel Holiday Inn

- Lighting control
- 240 sensors and actuators



Visit Eltako on our Social Media channels.













#### **Technical support:**

+49 176 135 825 14 Muente@eltako.de

#### **Export Sales Manager:**



### Eltako GmbH

Hofener Straße 54, D-70736 Fellbach

**a** +49 711 943 500 00

