

LR12865M-18 W



230V LED tube 1200 mm long, 27 mm diameter, 18 W power consumption, luminous flux up to 2700 lm, colour rendering index $R_a > 83$, colour temperature 6500 K. Socket G13, reflected beam angle 140°, enclosure in frosted plastic.

Of course dimmable LED tubes can also be undimmed when switched.

LED tubes are an energy saving alternative to classic fluorescent tubes and have a much more pleasant illumination. No flickering on switch-on, no flickering in operation, no UV radiation, no IR radiation, no major colour change and no black ends due to ageing.

LED tubes contain no mercury and after up to 50.000 operating hours, they are therefore not classified as hazardous waste but as recyclable electronic scrap.

Tubes with conventional single or double switched electromagnetic ballasts (conventional and low loss ballast) can be simply replaced by tubes and starters.

For technical data, see page 11-5 and the safe LED tube connection system from page 11-6.

| | | | |
|----------------------|---|-------------------|--------------------|
| LR12865M-18 W | LED tubes 1200mm, 18W, 6500K, cool daylight | EAN 4010312401392 | 93,80 €/pc. |
| LRS | LED tubes starter bridge (Only for spare part orders. 1 unit is enclosed with every LED tube free of charge.) | EAN 4010312400913 | 1,00 €/pc. |