




FET55E-wg



Wireless elbow pushbutton in E-Design55 pure white glossy 80 x 155 mm external dimensions, internal frame dimensions 55 x 127 mm, 15 mm high. Generates the power for wireless telegrams itself when the button is pressed, therefore there is no connecting wire and no standby loss. With rocker. Smart Home sensor.

FET55E-wg	Wireless elbow pushbutton, pure white glossy	EAN 4010312322505	70,00 €/pc.
-----------	--	-------------------	-------------



FNS55B-wg

NEW

Wireless proximity sensor with battery pure white glossy for single mounting 80 x 80 x 15 mm or mounting in the 55 mm switch system. With battery (lifetime 5-8 years). Smart Home sensor.

By approaching and removing the hand to approx. 10 cm, this proximity sensor sends radio telegrams, like a 1-channel radio pushbutton.

FNS55B-wg	Wireless proximity sensor, pure white glossy	EAN 4010312322185	92,50 €/pc.
-----------	--	-------------------	-------------



FNS55EB-wg

NEW

Wireless proximity sensor with battery pure white glossy for single mounting 80 x 80 x 15 mm or mounting into the E-Design55 switching system. With battery (lifetime 5-8 years). Smart Home sensor.

By approaching and removing the hand to approx. 10 cm, this proximity sensor sends radio telegrams, like a 1-channel radio pushbutton.

FNS55EB-wg	Wireless proximity sensor, pure white glossy	EAN 4010312322192	92,50 €/pc.
------------	--	-------------------	-------------



FNS65EB-wg

NEW

Wireless proximity sensor with battery pure white glossy for single mounting 84 x 84 x 15 mm or mounting into the E-Design65 switching system. With battery (lifetime 5-8 years). Smart Home sensor.

By approaching and removing the hand to approx. 10 cm, this proximity sensor sends radio telegrams, like a 1-channel radio pushbutton.

FNS65EB-wg	Wireless proximity sensor, pure white glossy	EAN 4010312322208	98,60 €/pc.
------------	--	-------------------	-------------



NFCS55-wg



NFC sensor pure white glossy for single mounting 80 x 80 x 15 mm or mounting in the 55 mm switch system. Without battery or wire. No standby loss. Smart Home sensor.

The NFC sensor can be used to trigger smart home functions with the mobile phone and to save data. It does not send its own telegram into the radio network, serves primarily as a 'trigger' and must be actively scanned.

In conjunction with smart end devices, this can be integrated into a smart home control system.

Storage capacity: 144 bytes

Communication speed: 106 kbit/s

Protection class: IP68 (dust and waterproof)

Operating temperature: -35°C ~ +85°C

Data retention: 10 years

Read / write resistance: 100,000 cycles

Compatible with all NFC-enabled devices

NFCS55-wg	NFC sensor 55x55mm, pure white glossy	EAN 4010312322123	18,80 €/pc.
------------------	---------------------------------------	-------------------	--------------------



NFCS55E-wg

NEW

NFC sensor with flat frame pure white glossy for single mounting 80 x 80 x 15 mm or mounting into the E-Design55 switching system. Without battery or wire. No standby loss. Smart Home sensor.

The NFC sensor can be used to trigger smart home functions with the mobile phone and to save data. It does not send its own telegram into the radio network, serves primarily as a 'trigger' and must be actively scanned.

In conjunction with smart end devices, this can be integrated into a smart home control system.

Storage capacity: 144 bytes

Communication speed: 106 kbit/s

Protection class: IP68 (dust and waterproof)

Operating temperature: -35°C ~ +85°C

Data retention: 10 years

Read / write resistance: 100,000 cycles

Compatible with all NFC-enabled devices

NFCS55E-wg	NFC sensor, pure white glossy	EAN 4010312322130	18,80 €/pc.
-------------------	-------------------------------	-------------------	--------------------



NFCS65-wg

NEW

NFC sensor pure white glossy for single mounting 84 x 84 x 16 mm or mounting into the E-Design65 switching system. Without battery or wire. No standby loss. Smart Home sensor.

The NFC sensor can be used to trigger smart home functions with the mobile phone and to save data. It does not send its own telegram into the radio network, serves primarily as a 'trigger' and must be actively scanned.

In conjunction with smart end devices, this can be integrated into a smart home control system.

Storage capacity: 144 bytes

Communication speed: 106 kbit/s

Protection class: IP68 (dust and waterproof)

Operating temperature: -35°C ~ +85°C

Data retention: 10 years

Read / write resistance: 100,000 cycles

Compatible with all NFC-enabled devices

NFCS65-wg	NFC sensor, pure white glossy	EAN 4010312322147	18,80 €/pc.
------------------	-------------------------------	-------------------	--------------------



NFCS65F-wg



NFC sensor with flat frame pure white glossy for single mounting 84 x 84 x 11 mm or mounting into the E-Design65 switching system. Without battery or wire. No standby loss. Smart Home sensor.

The NFC sensor can be used to trigger smart home functions with the mobile phone and to save data. It does not send its own telegram into the radio network, serves primarily as a 'trigger' and must be actively scanned.

In conjunction with smart end devices, this can be integrated into a smart home control system.

Storage capacity: 144 bytes

Communication speed: 106 kbit/s

Protection class: IP68 (dust and waterproof)

Operating temperature: -35°C ~ +85°C

Data retention: 10 years

Read / write resistance: 100,000 cycles

Compatible with all NFC-enabled devices

NFCS65F-wg	NFC sensor flat, pure white glossy	EAN 4010312322154	18,80 €/pc.
-------------------	------------------------------------	-------------------	--------------------



FBH55SB-wg

Wireless motion/brightness sensor pure white glossy for single mounting 80 x 80 x 27 mm or mounting into the E-design55 switching system. With solar cells and battery (lifetime 4-5 years).
Smart Home sensor.

The wireless sensor can be taught in the actuators listed below and in the Wireless Building Visualisation and Control Software: F4HK14, FGM, FHK14, FHK61, FLC61, FSG14, FSG71, FSR14, FSR61, FSR71, FTN14, FTN61, FUD14, FUD61, FUD71, FZK14, FZK61, TF61D, TF61L, TF100D, TF100L

FBH55SB-wg	Wireless motion/brightness sensor, pure white glossy	EAN 4010312318355	90,90 €/pc.
-------------------	---	-------------------	--------------------