



Helpful accessoires for wireless sensors

8



## Accessories active and passive wireless sensors and wired bus sensors

E-Design frames <a href="#">R1E</a> , <a href="#">R2E</a> , <a href="#">R3E</a> and <a href="#">R4E</a>	8-2
E-Design flat frames <a href="#">RF1E</a> , <a href="#">RF2E</a> , <a href="#">RF3E</a> and <a href="#">RF4E</a>	8-2
<b>NEW</b> Universal frames E-Design internal dimensions 65x65mm <a href="#">R2UE</a> and <a href="#">R3UE</a>	8-2
<b>NEW</b> Universal frames E-Design internal dimensions 55x55mm <a href="#">R1UE55</a> , <a href="#">R2UE55</a> and <a href="#">R3UE55</a>	8-3
Frames internally 55x55mm <a href="#">R</a> , <a href="#">R2</a> and <a href="#">R3</a>	8-2
Frames internally 63x63mm <a href="#">R1F</a> , <a href="#">R2F</a> and <a href="#">R3F</a>	8-2
The Q-Design, single frames <a href="#">QR</a> with floating front panel	8-4
The Q-Design, double and triple frames, 6 colors each <a href="#">QR</a> with floating front panel	8-5
Wireless pushbutton encryption Rocker FTVW	8-6
Blind covers <a href="#">BLA65</a> , <a href="#">BLA65F</a> , <a href="#">BLA55</a>	8-7
Blind covers <a href="#">BLF</a> and fused safety socket <a href="#">DSS65</a> , <a href="#">DSS65F</a>	8-8
Fused safety socket <a href="#">DSS+SDO55</a> , <a href="#">DSS+SDOF</a> and cover <a href="#">TAE65/3</a>	8-9
Covers <a href="#">TV65/2</a> , <a href="#">TV65/3</a> , <a href="#">TV65/4</a>	8-10
Covers <a href="#">UAE65/2</a> , <a href="#">TAE65F/3</a> , <a href="#">TV65F/2</a>	8-11
Covers <a href="#">TV65F/3</a> , <a href="#">TV65F/4</a> , <a href="#">UAE65F/2</a>	8-12
Desktop base for E-Design button and sensors <a href="#">SO65</a>	8-13
Desktop base for 55er button and sensors <a href="#">SO55</a>	8-13
Cover grey <a href="#">FSAF-gr</a>	8-13
Rockers and double rockers laser engraved for E-Design pushbuttons and switches <a href="#">W + DW</a>	8-14
Rockers and double rockers laser engraved for pushbuttons and switches 55er Design <a href="#">W + DW</a>	8-15
Rockers and double rockers laser engraved for remote control and hand-held transmitters <a href="#">W + DW</a>	8-16
Laser Engraving Overview	8-17
Adapter frames <a href="#">AR65/5,2-wg</a> , <a href="#">AR65/4,8-wg</a> , <a href="#">AR65/3,4-wg</a> , <a href="#">AR65/2,8-wg</a> and <a href="#">AR65/2,5-wg</a>	8-20
Intermediate frames <a href="#">ZR55/50-wg</a> , <a href="#">ZR65/55-wg</a> , <a href="#">ZR65/50-wg</a> , <a href="#">ZR65F/55-wg</a> and <a href="#">ZR65F/50-wg</a>	8-20
Bus motion/brightness sensor <a href="#">BBH65/12V DC</a>	8-21
Bus temperature controller with hand wheel <a href="#">BTR65H/12V DC</a>	8-21
Bus thermo clock/hygrostat with display <a href="#">BUTH65D/12V DC</a>	8-21



4-way frames R4E, RF4E

## R1E, R2E, R3E, R4E, RF1E, RF2E, RF3E, RF4E


Frames and flat frames E-design

Single frame R1E and RF1E, 84x84 mm external dimensions, double frames R2E and RF2E, 84x155 mm external dimensions, triple frames R3E and RF3E, 84x226 mm external dimensions and 4-way frames R4E and RF4E, 84x297 mm external dimensions. Internal frame dimensions 13 mm and the flat frames 8.5 mm high.

These frames can only be mounted vertically for sensors. As alternatives to R2E and R3E, use the universal frames R2UE and R3UE.

8-2

<b>R1E-wg</b>	Single frame pure white glossy	EAN 4010312907122	<b>2,90 €/pc.</b>
<b>R2E-wg</b>	Double frame pure white glossy	EAN 4010312907115	<b>4,10 €/pc.</b>
<b>R3E-wg</b>	Triple frame pure white glossy	EAN 4010312907108	<b>4,30 €/pc.</b>
<b>R4E-wg</b>	4-way frame pure white glossy	EAN 4010312907603	<b>4,90 €/pc.</b>
<b>RF1E-wg</b>	Single flat frame pure white glossy	EAN 4010312907245	<b>2,90 €/pc.</b>
<b>RF2E-wg</b>	Double flat frame pure white glossy	EAN 4010312907252	<b>4,10 €/pc.</b>
<b>RF3E-wg</b>	Triple flat frame pure white glossy	EAN 4010312907269	<b>4,30 €/pc.</b>
<b>RF4E-wg</b>	4-way flat frame pure white glossy	EAN 4010312907610	<b>4,90 €/pc.</b>



Double frame R2UE

Triple frame R3UE

## R2UE, R3UE

Universal frames E-Design internal dimensions 65x65 mm

Double frames R2UE, 84x155 mm external dimensions, triple frames R3UE, 84x226 mm external dimensions. 13 mm high.

Universal frames can be mounted either horizontally or vertically. They are not suitable for use with the following sensors with battery supply in the frame: FBH65SB, FBH65S, FBH65TFB, FIH65B, FTF65S, FTR65DS and FTR65HS.

R2UE-wg	Double universal frame pure white glossy	EAN 4010312908327	<b>4,10 €/pc.</b>
R3UE-wg	Triple universal frame pure white glossy	EAN 4010312908334	<b>4,30 €/pc.</b>



Single frame R3UE55



Double frame R3UE55



Triple frame R3UE55

**R1UE55, R2UE55, R3UE55** Universal frames E-Design internal dimensions 55x55 mm

Single frame R1UE55, 80x80 mm external dimensions, double frame R2UE55, 80x151 mm external dimensions, and triple frame R3UE55, 80x222 mm external dimensions. 15 mm high.

Universal frames can be mounted horizontally or vertically. For all wireless sensors in the 55 mm frame design system.

<b>R1UE55-wg</b>	Single universal frame pure white glossy	EAN 4010312908341	<b>2,90 €/pc.</b>
<b>R2UE55-wg</b>	Double universal frame pure white glossy	EAN 4010312908365	<b>4,10 €/pc.</b>
<b>R3UE55-wg</b>	Triple universal frame pure white glossy	EAN 4010312908358	<b>4,30 €/pc.</b>



Triple frames R3

**R, R2, R3** Frames internal dimensions 55x55 mm

Single frames R, 80x80 mm external dimensions, double frames R2, 80x151 mm external dimensions and triple frames R3, 80x222 mm external dimensions. 15 mm high.

<b>R-</b>	Single frames for wireless pushbutton -ws, -rw, -wg, -sz, -an -al	<b>3,90 €/pc.</b> <b>4,70 €/pc.</b>
<b>R2-</b>	Double frames for wireless pushbutton -ws, -rw, -wg, -sz, -an -al	<b>4,20 €/pc.</b> <b>8,90 €/pc.</b>
<b>R3-</b>	Triple frames for wireless pushbutton -ws, -rw, -wg, -sz, -an -al	<b>4,40 €/pc.</b> <b>11,50 €/pc.</b>




Triple frames R3F

**R1F, R2F, R3F** Frames internal dimensions 63x63 mm

Single frames R1F, 80x80 mm external dimensions, double frames R2F, 80x151 mm external dimensions and triple frames R3F, 80x222 mm external dimensions. 12 mm high.

<b>R1F-</b>	Single frames for wireless pushbutton -ws, -rw, -wg, -sz, -an -al	<b>3,90 €/pc.</b> <b>6,30 €/pc.</b>
<b>R2F-</b>	Double frames for wireless pushbutton -ws, -rw, -wg, -sz, -an -al	<b>4,20 €/pc.</b> <b>8,90 €/pc.</b>
<b>R3F-</b>	Triple frames for wireless pushbutton -ws, -rw, -wg, -sz, -an -al	<b>4,40 €/pc.</b> <b>11,50 €/pc.</b>



White glass frame with white glossy body

## QR1..

### Q-design, single frames


Our wireless flat pushbutton FFT55Q in 84x84 mm square design was the first representative of our new square pushbutton series in the appropriately named Q-design. With an overall height of only 11 mm, it differs significantly from the other series with 15 mm. Mounted as a single switch, it works particularly easily on the wall.

Now we amended the Q-series with additional frames, which are also available 2-fold and 3-fold. Although the overall height is 15 mm, the design with the 'floating' panel is as light as the 11 mm high wireless flat pushbutton FFT55Q. Wire- and batteryless EnOcean wireless modules of the pushbuttons FT55 can be combined, but not the flat FFT55Q.


The Q-frames are supplied as an accessory, the pushbuttons FT55 must be ordered separately.




Black glass frame with black body




Black glass frame with white glossy body



White glossy plastic frame



Anthracite plastic frame



Aluminium-silver plastic frame

<b>QR1Gw-gw</b>	Q frame single white glass, white glossy body	EAN 4010312313237	<b>28,00 €/pc.</b>
<b>QR1Gs-gw</b>	Q frame single black glass, white glossy body	EAN 4010312313220	<b>16,40 €/pc.</b>
<b>QR1Gs-sz</b>	Q frame single black glass, black body	EAN 4010312313244	<b>16,40 €/pc.</b>
<b>QR1K-gw</b>	Q frame single white glossy plastic	EAN 4010312313213	<b>3,50 €/pc.</b>
<b>QR1K-an</b>	Q frame single anthracite plastic	EAN 4010312313251	<b>3,80 €/pc.</b>
<b>QR1K-as</b>	Q frame single aluminium-silver plastic	EAN 4010312313268	<b>5,70 €/pc.</b>



White glass frame with white glossy body

**QR2.. Q-design, double frames**

Dimensions 84x156 mm, usually like the 1-fold frame QR1.



Black glass frame with white glossy body    Black glass frame with black body    White glossy plastic frame    Anthracite plastic frame    Aluminium-silver plastic frame

<b>QR2Gw-gw</b>	Q frame double white glass, white glossy body	EAN 4010312313305	<b>45,10 €/pc.</b>
<b>QR2Gs-gw</b>	Q frame double black glass, white glossy body	EAN 4010312313312	<b>45,10 €/pc.</b>
<b>QR2Gs-sz</b>	Q frame double black glass, black body	EAN 4010312313329	<b>45,10 €/pc.</b>
<b>QR2K-gw</b>	Q frame double white glossy plastic	EAN 4010312313343	<b>7,20 €/pc.</b>
<b>QR2K-an</b>	Q frame double anthracite plastic	EAN 4010312313350	<b>7,20 €/pc.</b>
<b>QR2K-as</b>	Q frame double aluminium-silver plastic	EAN 4010312313367	<b>8,30 €/pc.</b>

8-5



White glass frame with white glossy body

**QR3.. Q-design, triple frames**

Dimensions 84x227 mm, usually like the 1-fold frame QR1.



Black glass frame with white glossy body    Black glass frame with black body    White glossy plastic frame    Anthracite plastic frame    Aluminium-silver plastic frame

<b>QR3Gw-gw</b>	Q frame triple white glass, white glossy body	EAN 4010312313374	<b>73,90 €/pc.</b>
<b>QR3Gs-gw</b>	Q frame triple black glass, white glossy body	EAN 4010312313381	<b>73,90 €/pc.</b>
<b>QR3Gs-sz</b>	Q frame triple black glass, black body	EAN 4010312313398	<b>73,90 €/pc.</b>
<b>QR3K-gw</b>	Q frame triple white glossy plastic	EAN 4010312313411	<b>7,00 €/pc.</b>
<b>QR3K-an</b>	Q frame triple anthracite plastic	EAN 4010312313428	<b>8,50 €/pc.</b>
<b>QR3K-as</b>	Q frame triple aluminium-silver plastic	EAN 4010312313435	<b>14,40 €/pc.</b>

## FTVW


### Wireless pushbutton encryption rocker

The wireless pushbutton encryption rocker FTVW can be used to activate and deactivate the encryption of Eltako wireless pushbuttons, hand-held wireless transmitters and wireless remote control with batteryless and cordless EnOcean wireless modules.

First, remove the rockers. The wireless modules must be removed from wireless mini hand-held transmitters FMH8 and placed on a flat surface.

#### Activate encryption:


The label **encryption ON** is located on the top side.



Press the encryption rocker on the wireless module and press the rocker twice.


#### Deactivate encryption:

The label **encryption OFF** on the FTVW is located on the top side.



Press the encryption rocker on the wireless module and press the rocker once.

Teach-in of encryptable EnOcean wireless modules is described in the operating instructions for encryptable actuators.

This is identified by the pictogram .


**BLA65-wg** Blind cover


Blind cover BLA65 for R1E, R2E, R3E and R4E.

<b>BLA65-wg</b>	Blind cover for R1E-R4E pure white glossy	EAN 4010312907139	<b>3,30 €/pc.</b>
-----------------	---	-------------------	-------------------


**BLA65F-wg** Blind cover

Blind cover BLA65F for RF1E, RF2E, RF3E and RF4E.

<b>BLA65F-wg</b>	Blind cover for RF1E-RF4E pure white glossy	EAN 4010312907412	<b>3,30 €/pc.</b>
------------------	---	-------------------	-------------------


**BLA55-** Blind cover

Blind cover BLA55 for R, R2 and R3 as well as all Q frames.

<b>BLA55-ws</b>	Blind cover BLA55 for R, R2 and R3 white	EAN 4010312905869	<b>3,30 €/pc.</b>
<b>BLA55-rw</b>	Blind cover BLA55 for R, R2 and R3 pure white	EAN 4010312905883	<b>3,30 €/pc.</b>
<b>BLA55-wg</b>	Blind cover BLA55 for R, R2 and R3 pure white glossy	EAN 4010312905913	<b>3,30 €/pc.</b>
<b>BLA55-sz</b>	Blind cover BLA55 for R, R2 and R3 black	EAN 4010312905906	<b>3,30 €/pc.</b>
<b>BLA55-an</b>	Blind cover BLA55 for R, R2 and R3 anthracite	EAN 4010312905937	<b>3,30 €/pc.</b>





## **BLF-** Blind cover

**Blind cover BLF for R1F, R2F and R3F.**

<b>BLF-rw</b>	Blind cover BLF for R1F, R2F and R3F, pure white	EAN 4010312904237	<b>3,30 €/pc.</b>
<b>BLF-wg</b>	Blind cover BLF for R1F, R2F and R3F, pure white glossy	EAN 4010312904268	<b>3,30 €/pc.</b>
<b>BLF-sz</b>	Blind cover BLF for R1F, R2F and R3F, black	EAN 4010312904251	<b>3,30 €/pc.</b>
<b>BLF-an</b>	Blind cover BLF for R1F, R2F and R3F, anthracite	EAN 4010312904282	<b>3,30 €/pc.</b>

8-8



## **DSS65-wg** Fused Safety Sockets

**German Fused Safety Socket DSS with socket outlet front in E-design. With increased shock protection. The socket base DSS bearing the VDE sign has plug-in terminals.**

<b>DSS65-wg</b>	DSS with socket outlet front, pure white glossy	EAN 4010312315996	<b>5,70 €/pc.</b>
-----------------	---	-------------------	-------------------



## **DSS65F-wg** Fused Safety Sockets flat

**German Fused Safety Socket with socket outlet front in E-design for flat frames. With increased shock protection. The socket base DSS bearing the VDE sign has plug-in terminals.**

<b>DSS65F-wg</b>	DSS with socket outlet front, pure white glossy	EAN 4010312316818	<b>5,70 €/pc.</b>
------------------	---	-------------------	-------------------


**DSS+SD055- Fused Safety Sockets with socket outlet front**

**German Fused Safety Socket DSS with socket outlet front SD055.**  
With increased shock protection.

<b>DSS+SD055-ws</b>	DSS with socket outlet front, white	EAN 4010312310830	<b>6,60 €/pc.</b>
<b>DSS+SD055-rw</b>	DSS with socket outlet front, pure white	EAN 4010312310854	<b>6,60 €/pc.</b>
<b>DSS+SD055-wg</b>	DSS with socket outlet front, pure white glossy	EAN 4010312310885	<b>6,60 €/pc.</b>
<b>DSS+SD055-sz</b>	DSS with socket outlet front, black	EAN 4010312310878	<b>6,40 €/pc.</b>
<b>DSS+SD055-an</b>	DSS with socket outlet front, anthracite	EAN 4010312310908	<b>6,60 €/pc.</b>

8-9


**DSS+SDOF- Fused Safety Sockets with socket outlet front**

**German Fused Safety Socket DSS with socket outlet front SDOF.**  
With increased shock protection.

<b>DSS+SDOF-ws</b>	DSS with socket outlet front, white	EAN 4010312311295	<b>6,60 €/pc.</b>
<b>DSS+SDOF-rw</b>	DSS with socket outlet front, pure white	EAN 4010312311318	<b>6,60 €/pc.</b>
<b>DSS+SDOF-wg</b>	DSS with socket outlet front, pure white glossy	EAN 4010312311349	<b>6,60 €/pc.</b>
<b>DSS+SDOF-sz</b>	DSS with socket outlet front, black	EAN 4010312311332	<b>6,40 €/pc.</b>
<b>DSS+SDOF-an</b>	DSS with socket outlet front, anthracite	EAN 4010312311363	<b>6,60 €/pc.</b>


**TAE65/3-wg Cover for 3-socket TAE**

**Cover for 3-socket telecommunications access unit (TAE).**  
Pure white glossy. For E-design frames R1E, R2E, R3E and R4E.  
Fits all Rutenbeck TAE access sockets.

<b>TAE65/3-wg</b>	3-socket TAE cover for E-design frames	EAN 4010312907337	<b>2,90 €/pc.</b>
-------------------	--	-------------------	-------------------



**TV65/2-wg** Cover for TV/RF

2-hole cover for TV/RF aerial sockets. Pure white glossy. For E-design frames R1E, R2E, R3E and R4E. Fits all Hirschmann aerial sockets.

TV65/2-wg	TV/RF cover for E-design frames	EAN 4010312907351	2,90 €/pc.
-----------	---------------------------------	-------------------	------------

8-10



**TV65/3-wg** Cover for TV/RF/SAT

3-hole cover for TV/RF/SAT aerial sockets. Pure white glossy. For E-design frames R1E, R2E, R3E and R4E. Fits all Hirschmann aerial sockets.

TV65/3-wg	TV/RF/SAT cover for E-design frames	EAN 4010312907382	2,90 €/pc.
-----------	-------------------------------------	-------------------	------------



**TV65/4-wg** Cover for TV/RF/SAT

4-hole cover for TV/RF/SAT aerial sockets. Pure white glossy. For E-design frames R1E, R2E, R3E and R4E. Fits all Hirschmann aerial sockets.

TV65/4-wg	TV/RF/SAT cover for E-design frames	EAN 4010312907634	2,90 €/pc.
-----------	-------------------------------------	-------------------	------------


**UAE65/2-wg** Cover for UAE/IAE

Cover for 2-hole UAE/IAE (ISDN) and network sockets. Pure white glossy. For E-design frames R1E, R2E, R3E and R4E. Fits all Rutenbeck or Telegärtner 2-hole UAE/IAE (ISDN) and network sockets.

<b>UAE65/2-wg</b>	2-hole UAE/IAE cover for E-design frames	EAN 4010312907399	<b>2,90 €/pc.</b>
-------------------	--	-------------------	-------------------

8-11


**TAE65F/3-wg** Cover for TAE 3-socket

Cover for 3-socket telecommunications access unit (TAE). Pure white glossy. For E-design flat frames RF1E, RF2E, RF3E and RF4E. Fits all Rutenbeck TAE access sockets.

<b>TAE65F/3-wg</b>	3-socket TAE cover for E-design flat frames	EAN 4010312907344	<b>2,90 €/pc.</b>
--------------------	---	-------------------	-------------------


**TV65F/2-wg** Cover for TV/RF

2-hole cover for TV/RF aerial sockets. Pure white glossy. For E-design flat frames RF1E, RF2E, RF3E and RF4E. Fits all Hirschmann aerial sockets.

<b>TV65F/2-wg</b>	TV/RF cover for E-design flat frames	EAN 4010312907368	<b>2,90 €/pc.</b>
-------------------	--------------------------------------	-------------------	-------------------



## TV65F/3-wg Cover for TV/RF/SAT

3-hole cover for TV/RF/SAT aerial sockets. Pure white glossy. For E-design flat frames RF1E, RF2E, RF3E and RF4E. Fits all Hirschmann aerial sockets.

TV65F/3-wg	TV/RF/SAT cover for E-design flat frames	EAN 4010312907375	2,90 €/pc.
------------	--	-------------------	------------

8-12



## TV65F/4-wg Cover for TV/RF/SAT

4-hole cover for TV/RF/SAT aerial sockets. Pure white glossy. For E-design flat frames RF1E, RF2E, RF3E and RF4E. Fits all Hirschmann aerial sockets.

TV65F/4-wg	TV/RF/SAT cover for E-design flat frames	EAN 4010312907627	2,90 €/pc.
------------	--	-------------------	------------



## UAE65F/2-wg Cover for UAE/IAE

Cover for 2-hole UAE/IAE (ISDN) and network sockets. Pure white glossy. For E-design flat frames RF1E, RF2E, RF3E and RF4E. Fits all Rutenbeck or Telegärtner 2-hole UAE/IAE (ISDN) and network sockets.

UAE65F/2-wg	2-hole UAE/IAE cover for E-design flat frames	EAN 4010312907405	2,90 €/pc.
-------------	---	-------------------	------------


**SO65**      Table base

**SO65 desktop base for E-design pushbuttons and sensors. E-design pushbuttons and sensors, also flat except 230V versions, are clipped onto the base. With slip-resistant plastic feet.**

<b>SO65</b>	Desktop base	EAN 4010312908143	<b>7,10 €/pc.</b>
-------------	--------------	-------------------	-------------------

8-13


**SO55**      Table base


**Desktop base for size 55 pushbuttons and sensors. Pushbuttons and sensors in size 55 design, except 230V versions, are clipped onto the base. With slip-resistant plastic feet.**

<b>SO55</b>	Desktop base	EAN 4010312908150	<b>7,10 €/pc.</b>
-------------	--------------	-------------------	-------------------


**FSAF-gr**      Cover foil grey

**Grey cover foil for wireless sensors. Covers the rear of wireless pushbuttons bonded to glass panes. Self-adhesive plastic foil permeable to air; easily to affix bubble-free. Please specify the size required.**

<b>FSAF-gr</b>	Cover grey	EAN 4010312908136	<b>3,30 €/pc.</b>
----------------	------------	-------------------	-------------------



## W + DW Rockers and double rockers laser engraved for E-design pushbuttons and switches

### Rockers and double rockers laser engraved.

For all pushbuttons, switches and hand-held transmitters we provide rockers and double rockers offered in all colors with laser engraving.

The additional title +2P will do for each arrow top (up) and bottom (down).

The additional title +IO will do for I (=on) top and O (=off) down.

The additional title +OI will do for O (=off) top and I (=on) down.

Other prints with a maximum of 6 lines must be characterized and then we engrave it in Arial font. Maximum of two lines at the top, middle and bottom.

An overview of the pictograms for laser engraving is available on page 8-17. The pictogram number is sufficient as additional designation.

If we receive an E-mail to LGI@eltako.de with an Adobe Illustrator or Corel Draw file with the extension .ai or .cdr, we engrave individual customer requirements.

If you require a new pictogram in your specifications, we only charge a lump sum - please refer to the product designation **LGI**.

**For rockers without symbol use the suffix 'not engraved'.**

#### Rockers

W-B4FT65<sup>1)</sup>, W-B4T65<sup>1)</sup>, W-F4T65B/F4FT65/F4FT65B/F4T65/WT/WS65 W-F1FT65

add. nomenclature  
...+OI

add. nomenclature  
...+2P

as specified by  
customer

as specified by  
customer



#### Double rockers

DW-B4FT65<sup>1)</sup>, DW-B4T65<sup>1)</sup>, DW-F4T65B/F4FT65/F4FT65B/F4T65

add. nomenclature  
...+IO


add. nomenclature  
...+2P

as specified by  
customer



<sup>1)</sup> The LEDs on bus pushbuttons and bus fl at pushbuttons reduce the space for laser engraving.

<b>LGI</b>	Laser engraving individually, create new pictogram	EAN 4010312908310	<b>9,90 €/pc.</b>
<b>W-B4FT65</b>	Rocker for bus flat pushbutton E-design pure white glossy	EAN 4010312907207	<b>6,20 €/pc.</b>
<b>DW-B4FT65</b>	Double rocker for bus flat pushbutton E-design pure white glossy	EAN 4010312907191	<b>6,60 €/pc.</b>
<b>W-B4T65</b>	Rocker for bus pushbutton E-design pure white glossy	EAN 4010312907184	<b>6,20 €/pc.</b>
<b>DW-B4T65</b>	Double rocker for bus pushbutton E-design pure white glossy	EAN 4010312907214	<b>6,60 €/pc.</b>
<b>W-F1FT65</b>	Rocker for wireless flat pushbutton E-design	EAN 4010312907153	<b>6,20 €/pc.</b>
<b>W-F4T65</b>	Rocker for wireless pushbutton E-design pure white glossy	EAN 4010312907160	<b>6,20 €/pc.</b>
<b>DW-F4T65</b>	Double rocker for wireless pushbutton E-design pure white glossy	EAN 4010312907177	<b>6,60 €/pc.</b>
<b>W-F4FT65B</b>	Rocker for wireless flat pushbutton E-design with batteries pure white glossy	EAN 4010312908051	<b>6,20 €/pc.</b>
<b>DW-F4FT65B</b>	Double rocker for wireless flat pushbutton E-design with batteries pure white glossy	EAN 4010312908068	<b>6,60 €/pc.</b>
<b>W-F4T65B</b>	Rocker for wireless pushbutton E-design with batteries pure white glossy	EAN 4010312907276	<b>6,20 €/pc.</b>
<b>DW-F4T65B</b>	Double rocker for wireless pushbutton E-design with batteries pure white glossy	EAN 4010312907283	<b>6,60 €/pc.</b>
<b>W-WT/WS65</b>	Rocker for rocker switches and rocker pushbuttons E-design pure white glossy	EAN 4010312908075	<b>6,20 €/pc.</b>



## W + DW Rockers and double rockers laser engraved for pushbuttons and switches 55er design

### Rockers and double rockers laser engraved.

For all pushbuttons and hand-held transmitters we provide rockers and double rockers offered in all colors and hand-held transmitters with laser engraving.

The additional title +2P will do for each arrow top (up) and bottom (down).

The additional title +IO will do for I (=on) top and O (=off) down.

The additional title +OI will do for O (=off) top and I (=on) down.

Other prints with a maximum of 6 lines must be characterized and then we engrave it in Arial font. Maximum of two lines at the top, middle and bottom.

An overview of the pictograms for laser engraving is available on page 8-17. The pictogram number is sufficient as additional designation.

If we receive an E-mail to LGI@eltako.de with an Adobe Illustrator or Corel Draw file with the extension .ai or .cdr, we engrave individual customer requirements.

If you require a new pictogram in your specifications, we only charge a lump sum - please refer to the product designation **LGI**.

**For rockers without symbol use the suffix 'not engraved'.**

8-15

#### Rockers

W-B4T55 <sup>1)</sup>, W-F4T55B, W-FMT55/2-, W-FT4CH, W-FT4F, W-FT55

W-FFT55Q

add. nomenclature  
...+OI

add. nomenclature  
...+2P

as specified by  
customer

as specified by  
customer



#### Double rockers

DW-B4T55 <sup>1)</sup>, DW-F4T55B, DW-FMT55/4-, DW-FT4CH, DW-FT4F, DW-FT55

add. nomenclature  
...+IO

add. nomenclature  
...+2P


as specified by  
customer



<sup>1)</sup> The LEDs on bus pushbuttons and bus flat pushbuttons reduce the space for laser engraving.

<b>LGI</b>	Laser engraving individually, create new pictogram	EAN 4010312908310	<b>9,90 €/pc.</b>
<b>W-B4T55</b>	Rocker for bus pushbuttons ws/rw/wg/sz/an/al	EAN 4010312907573	<b>6,20 €/pc.</b>
<b>DW-B4T55</b>	Double rocker for bus pushbuttons ws/rw/wg/sz/an/al	EAN 4010312907580	<b>6,60 €/pc.</b>
<b>W-F4T55B</b>	Rocker for wireless pushbuttons 55x55mm ws/rw/wg/sz/an/al	EAN 4010312907313	<b>6,20 €/pc.</b>
<b>DW-F4T55B</b>	Double rocker for wireless pushbuttons 55x55mm ws/rw/wg/sz/an/al	EAN 4010312907320	<b>6,60 €/pc.</b>
<b>W-FFT55Q</b>	Rocker for wireless flat pushbuttons ws/rw/wg/sz/an/al	EAN 4010312906255	<b>6,20 €/pc.</b>
<b>W-FMT55/2</b>	Rocker for wireless mini pushbuttons ws/rw/wg/sz/an/al	EAN 4010312906323	<b>6,20 €/pc.</b>
<b>DW-FMT55/4</b>	Double rocker for wireless mini pushbuttons ws/rw/wg/sz/an/al	EAN 4010312906330	<b>6,60 €/pc.</b>
<b>W-FT4CH</b>	Rocker for wireless pushbuttons Swiss Design ws(61)/hg(65)/sz(60)	EAN 4010312906347	<b>6,20 €/pc.</b>
<b>DW-FT4CH</b>	Double rocker for wireless pushbuttons Swiss Design ws(61)/hg(65)/sz(60)	EAN 4010312906385	<b>6,60 €/pc.</b>
<b>W-FT4F</b>	Rocker for wireless flat pushbuttons ws/rw/wg/sz/an/al	EAN 4010312906262	<b>6,20 €/pc.</b>
<b>DW-FT4F</b>	Double rocker for wireless flat pushbuttons ws/rw/wg/sz/an/al	EAN 4010312906279	<b>6,60 €/pc.</b>
<b>W-FT55</b>	Rocker for wireless pushbuttons 55x55mm ws/rw/wg/sz/an/al	EAN 4010312906286	<b>6,20 €/pc.</b>
<b>DW-FT55</b>	Double rocker for wireless pushbuttons 55x55mm ws/rw/wg/sz/an/al	EAN 4010312906293	<b>6,60 €/pc.</b>
<b>W-FT55R</b>	Rocker for wireless pushbuttons 55x55mm for Busch Reflex and Duro, white/alpine white	EAN 4010312907047	<b>6,20 €/pc.</b>
<b>DW-FT55R</b>	Double rocker for wireless pushbuttons 55x55mm for Busch Reflex and Duro, white/alpine white	EAN 4010312907061	<b>6,60 €/pc.</b>
<b>W-WT/WS55</b>	Rocker for rocker switch and rocker pushbutton ws/rw/wg/sz/an/al	EAN 4010312908112	<b>6,20 €/pc.</b>





## W + DW Rockers and double rockers laser engraved for remote controls and hand-held transmitters

### Rockers and double rockers laser engraved.

For all pushbuttons and hand-held transmitters we provide rockers and double rockers offered in all colors and hand-held transmitters with laser engraving.

The additional title +2P will do for each arrow top (up) and bottom (down).

The additional title +IO will do for I (=on) top and O (=off) down.

The additional title +OI will do for O (=off) top and I (=on) down.

Other prints with a maximum of 6 lines must be characterized and then we engrave it in Arial font. Maximum of two lines at the top, middle and bottom.

An overview of the pictograms for laser engraving is available on page 8-17. The pictogram number is sufficient as additional designation.

If we receive an E-mail to LGI@eltako.de with an Adobe Illustrator or Corel Draw file with the extension .ai or .cdr, we engrave individual customer requirements.

If you require a new pictogram in your specifications, we only charge a lump sum - please refer to the product designation **LGI**.

#### Rockers

W-FHS/FMH2

add. nomenclature  
...+OI



add. nomenclature  
...+2P



as specified by  
customer



#### Double rockers

DW-FHS/FMH4

add. nomenclature  
...+IO



add. nomenclature  
...+2P




as specified by  
customer



#### Double rockers

DW-FF8

add. nomenclature  
...+2P




as specified by  
customer



<b>LGI</b>	Laser engraving individually, create new pictogram	EAN 4010312908310	<b>9,90 €/pc.</b>
<b>DW-FF8</b>	Double rocker for wireless remote control anthracite-soft paint	EAN 4010312906378	<b>6,60 €/pc.</b>
<b>W-FHS/FMH2</b>	Rocker for wireless hand-held transmitters and mini hand-held transmitters FMH2 ws/rw/wg/sz/an/al	EAN 4010312906354	<b>6,20 €/pc.</b>
<b>DW-FHS/FMH4</b>	Double rocker for wireless hand-held transmitters and mini hand-held transmitters FMH4 ws/rw/wg/sz/an/al	EAN 4010312906361	<b>6,60 €/pc.</b>

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	32	33	34	35
36	37	38	39	40	41	42
43	44	45	46	47	48	49
50	51	52	53	54	55	56

# Pictogram overview for laser engraving



116	117	118	119	120	121	122
123	124	125	126	127	128	129
130	131	132	133	134	135	136
137	138	140	141	145	146	147
148	149	150	151	152	153	155
156	157	158	159	160	161	162
163	164	166	167	168	169	170
171	172	173				

8-19

For any laser engraving order, please specify the type of your pushbutton, remote control or hand-held transmitter, the engraving number and also if you need a single or double rocker.

Rockers and double rockers for pushbuttons, remote controls and hand-held transmitters are available on pages 8-14 to 8-16.



**AR65/5,2-wg, AR65/4,8-wg, AR65/3,4-wg, AR65/2,8-wg, AR65/2,5-wg** Adapter frames

**Adapter frame for other wireless sensors in E-design of Series 65 as height adjustment. Pure white glossy.**

**AR65/5,2-wg:** for E-Design flat frames 84x84 mm, RF1E, RF2E, RF3E and RF4E.

**AR65/4,8-wg:** for frames Gira E2.

**AR65/3,4-wg:** for frames 84x84 mm, QR1, QR2 and QR3<sup>1)</sup>.

**AR65/2,8-wg:** for frames for flat pushbuttons 80x80mm, R1F, R2F and R3F<sup>2)</sup>.

**AR65/2,5-wg:** for frames 80x80mm, R, R2 and R3.

The adapter frame is plugged on from the rear prior to assembly of these sensors.

Cut the 4 rear projecting pins on the E-design sensors off flush before connecting the adapter frames AR65/3,4, AR65/2,8 and AR65/2,5.

<sup>1)</sup> Also for Opus 55 Fusion frames.

<sup>2)</sup> Also for Gira Standard 55 and Busch-Jaeger Future Linear frames.

<b>AR65/5,2-wg</b>	Adapter frame pure white glossy	EAN 4010312907481	<b>1,00 €/pc.</b>
<b>AR65/4,8-wg</b>	Adapter frame pure white glossy	EAN 4010312907597	<b>1,00 €/pc.</b>
<b>AR65/3,4-wg</b>	Adapter frame pure white glossy	EAN 4010312907498	<b>1,00 €/pc.</b>
<b>AR65/2,8-wg</b>	Adapter frame pure white glossy	EAN 4010312907436	<b>1,00 €/pc.</b>
<b>AR65/2,5-wg</b>	Adapter frame pure white glossy	EAN 4010312907429	<b>1,00 €/pc.</b>



**ZR55/50-wg, ZR65/55-wg, ZR65/50-wg, ZR65F/55-wg, ZR65F/50-wg** Intermediate frames

**Intermediate frames with internal frame dimensions 55x55 mm resp. 50x50 mm for 55 mm and 50 mm applications. For R frames, frames and flat frames in E-design. Pure white glossy.**

**ZR55/50-wg:** 55 to 50mm for frames R, R2 and R3.

**ZR65/55-wg:** 65 to 55mm for E-design frames R1E, R2E, R3E and R4E.  
With bevel for ventilation of the PL-SAMTEMP.

**ZR65/50-wg:** 65 to 50mm for E-design frames R1E, R2E, R3E and R4E.

**ZR65F/55-wg:** 65 to 55mm for E-design flat frames RF1E, RF2E, RF3E and RF4E.

**ZR65F/50-wg:** 65 to 50mm for E-design flat frames RF1E, RF2E, RF3E and RF4E.

The intermediate frame holds by being clipped on.

<b>ZR55/50-wg</b>	Intermediate frame 55 to 50mm for frames R, R2, R3, pure white glossy	EAN 4010312907450	<b>1,50 €/pc.</b>
<b>ZR65/55-wg</b>	Intermediate frame 55mm for E-design frames R1E, R2E and R3E, pure white glossy	EAN 4010312907467	<b>1,10 €/pc.</b>
<b>ZR65/50-wg</b>	Intermediate frame 50mm for E-design frames R1E, R2E and R3E, pure white glossy	EAN 4010312907443	<b>1,50 €/pc.</b>
<b>ZR65F/55-wg</b>	Intermediate frame 55mm for E-design flat frames RF1E, RF2E and RF3E, pure white glossy	EAN 4010312907474	<b>1,10 €/pc.</b>
<b>ZR65F/50-wg</b>	Intermediate frame 50mm for E-design flat frames RF1E, RF2E and RF3E, pure white glossy	EAN 4010312907450	<b>1,10 €/pc.</b>



### BBH65/12VDC-wg Bus motion/brightness sensor

Bus motion/brightness sensor pure white glossy for connection to the RS485 bus gateway BGW14. For single mounting or mounting into the E-design switching system. 84x84 mm, 27 mm high. Installation depth 33 mm. Data transmission and power supply takes place over the 4-wire bus with a 12V DC power supply unit. Only 0.1 watt standby loss. Smart Home sensor.

BBH65/12VDC-wg	Bus motion/brightness sensor, pure white glossy	EAN 4010312318966	71,60 €/pc.
----------------	---	-------------------	-------------

8-21



### BTR65H/12VDC-wg Bus temperature controller with hand wheel

Bus temperature controller with hand wheel pure white glossy for connection to the RS485 bus gateway BGW14. For single mounting or mounting into the E-design switching system. 84x84 mm, 27 mm high. Installation depth 33 mm. Data transmission and power supply takes place over the 4-wire bus with a 12V DC power supply unit. Only 0.1 watt standby loss. Smart Home sensor.

BTR65H/12VDC-wg	Bus temperature controller with hand wheel, pure white glossy	EAN 4010312318959	61,30 €/pc.
-----------------	---	-------------------	-------------



### BUTH65D/12V DC-wg Bus thermo clock/hygrostat with display

Bus thermo clock/hygrostat with display pure white glossy for connection to the RS485 bus gateway BGW14. For single mounting or mounting into the E-design switching system. 84x84 mm, 14 mm high. Installation depth 33 mm. With adjustable day and night reference temperatures and relative humidity. Illuminated display. Preset ready to operate. Data transmission and power supply takes place over the 4-wire bus with a 12V DC power supply unit. Only 0.1 watt standby loss. Smart Home sensor.

BUTH65D/12V DC-wg	Bus thermo clock/hygrostat with display, pure white glossy	EAN 4010312318942	69,60 €/pc.
-------------------	--	-------------------	-------------