

## For Eltako series 11 in comparison with the up-to-date series 12

Devices of series 12, which have not existed in former series and which have still the same type name, are not listed here.

### Electronic impulse switches

Series 11	Series 12	Changes	Up-to-date	Page
	ES12-8..230V, 8..24V, 230V,12V	ES12-100-	ES12DX-	11-3
ES11-100-	ES12-100-		ES12DX-	11-3
	ES12-001-		ES12-110-	11-5
ES11-110-	ES12-110-		ES12-110-	11-5
ES11-200-	ES12-200-		ES12-200-	11-4
	ES12-2x-	ES12M-	ESR12DDX-	11-7
	ESR12M-		ESR12DDX-	11-7
	ES12-400-	ES12-4x	ESR12Z-4DX-	11-9
		ES12Z-4x	ESR12Z-4DX-	11-9
	ES12NP-		ESR12NP-	11-6
ES11.2-001-	ES12.2-001-		ES12Z-110-	11-8
ES11.3-	ES12Z-		ES12Z-200-	11-8
ES11.4-	ES12Z-		ES12Z-200-	11-8
ES11.1-	ES12.9-	ESV12NP-	ESR12NP-	11-6
	ESV12-		ESR12NP-	11-6
	ESV12.1-		ESR12NP-	11-6
		ES12.1NP	ES12Z-200-	11-8
	ES12.1-8..230V		ES12Z-200-	11-8
ES11.2-100-	ES12.2-100-	ES12Z-100-	ES12Z-200-	11-8
ES11.2-110-	ES12.2-110-		ES12Z-110-	11-8
ES11.2-200-	ES12.2-200-		ES12Z-200-	11-8
	ES12.3-001-	ES12.1-110-	ES12Z-110-	11-8
	ES12.4-001-		ES12Z-110-	11-8
	ES12.5-001-		ES12Z-110-	11-8
	ES12.6-200-	ES12.1-200-	ES12Z-200-	11-8
	ES12.7-200-		ES12Z-200-	11-8
	ES12.8-200-	ES12.1-200-	ES12Z-200-	11-8
	S12.2-, XS12.2-		ES12Z-	11-8
	ES12.1-500-	ES12.1-4x-	ESR12Z-4DX-	11-9
	ES12.1-400-		ESR12Z-4DX-	11-9
	S12.3-, XS12.3-	ES12Z-4x	ESR12Z-4DX-	11-9

### Universal dimmer switches

Series 12	Changes	Changes	Up-to-date	Page
ESD12-	ESD12U-		EUD12NPN-	9-3
ESD12.2-	ESD12.2U-	EUD12Z-	EUD12D-	9-4
ESV12.2P-	ES12.1P-/ EUD12M-		EUD12D-	9-4
ESD12.2- +ELD12-	ESD12.2U- +EUL12-	EUD12Z- +LUD12-	EUD12D- +LUD12-	9-4 9-7
ESD12UF			EUD12F	9-5

### Mains monitoring relays and current relays

Series 11	Series 12	Changes	Up-to-date	Page
NR11-110-	NR12-001-	NR12-110-	NR12-001-	14-7
	NR12-002-		NR12-002-	14-7
NR11.1-110-	NR12-001-		NR12-001-	14-7
	NR12-002-		NR12-002-	14-7
	AR12-001-230V	AR12NP-230V	AR12DX-230V	14-6

### Electronic switching relays, control relays and coupling relays

Series 11	Series 12	Changes	Up-to-date	Page
ER11-001-	ER12-001-		ER12-001-	12-7
	ER12-100-		ER12DX-	12-3
ER11-200-	ER12-200-		ER12-200-	12-4
ER11-002-	ER12-002-		ER12-002-	12-7
EKR11-001-	EKR12-001-		ER12-001-	12-7
	ER12P-	EUD12M-	EUD12D-	9-4
	ER12NP-		ESR12NP-	12-5
	ER12M-	ESR12M-	ESR12DDX-	12-6

### Electromechanical impulse switches

Series 11	Series 12	Changes	Up-to-date	Page
S11-100-	S12-100-		S12-100-	18-2
S11-110-	S12-110-		S12-110-	18-2
S11-200-	S12-200-		S12-200-	18-2
SS11-110-	SS12-110-		SS12-110-	18-2
GS11-110-	GS12-110-		ESR12DDX-	11-7
S11-400-	S12-400-		S12-400-	18-3
S11-310-	S12-310-		S12-310-	18-3
S11-220-	S12-220-		S12-220-	18-3

### Electromechanical switching relays

Series 11	Series 12	Changes	Up-to-date	Page
R11-100-	R12-100-		R12-100-	19-2
R11-110-	R12-110-		R12-110-	19-2
R11-200-	R12-200-		R12-200-	19-2
R11-020-	R12-020-230V		R12-020-230V	19-2
R11-400-	R12-400-		R12-400-	19-2
R11-310-	R12-310-		R12-310-	19-2
R11-220-	R12-220-		R12-220-	19-2
VR11-	VR12-		ER12-	12-4 12-7

### Staircase time switches, off-delay timers

Series 12	Changes	Changes	Up-to-date	Page
TLZ12.0-	TLZ12E-	TLZ12-8E	TLZ12-8plus	15-3
TLZ12.0E-		TLZ12-8E	TLZ12-8plus	15-3
TLZ12-	TLZ12NP	TLZ12D-	TLZ12D-plus	15-6
TLZ12.1-	TLZ12M	TLZ12D-	TLZ12D-plus	15-6
TLZ12.2-		TLZ12-8E	TLZ12-8plus	15-3
TLZ12.3-		TLZ12-8E	TLZ12-8plus	15-3
TLZ12.4-	TLZ12M.1	TLZ12D-	TLZ12D-plus	15-6
		TLZ12-8E-230V +8..230V UC	TLZ12-8plus	15-3
TLZ12.9-		TLZ12-9E	TLZ12-9	15-7
TLZ12.4P-	TLZ12P-/ EUD12M-		EUD12D-	9-4
NLZ12-			NLZ12NP-	15-11
NLZ12.1-			NLZ12NP-	15-11

# Type Comparison Table

## For Eltako series 11 in comparison with the up-to-date series 12 and 15

Devices of series 12, which have not existed in former series and which have still the same type name, are not listed here.

### Mains disconnecting relays

Series 11	Series 12	Changes	Up-to-date	Page
FR11-100-	FR12-100-	FR12.1-	FR12-	14-3
	FR12.0-		FR12-	14-3

### Time relays

Series 11	Series 12	Changes	Up-to-date	Page
MFZ11-	MFZ12-	MFZ12.1-	MFZ12DX-	13-4
EZ11.2-	EZ12.2-	EZ12RV-	RVZ12DX-	13-5
EZ11.3-	EZ12.3-	EZ12AV-	AVZ12DX-	13-5
EZ11.4-	EZ12.4-	EZ12TI-	TG112DX-	13-5
EZ11.5-	EZ12.5-	EZ12EW-	EAW12DX-	13-5
	EZ12EAW-		EAW12DX-	13-5
EZ11.6-	EZ12.6-	EZ12AW-	EAW12DX-	13-5
	EZ12.9-	EZ12SRV-	MFZ12DX-	13-4
		EZ12ARV-	MFZ12DX-	13-4
		DMZ12	MFZ12DDX-	13-3
	DMZ12-	DMZ12.1-	MFZ12DDX-	13-3
	DZ12.2-	DZ12RV-	MFZ12DDX-	13-3
	DZ12.3-	DZ12AV-	MFZ12DDX-	13-3
	DZ12.4-	DZ12TI-	MFZ12DDX-	13-3
	DZ12.5-	DZ12EW-	MFZ12DDX-	13-3
	DZ12.6-	DZ12AW-	MFZ12DDX-	13-3
	DZ12.9-	DZ12SRV-	MFZ12DDX-	13-3
	TI12P-	EUD12M-	EUD12D-	9-4

### Shading systems and roller shutter control

Series 11	Series 12	Changes	Up-to-date	Page
EGS11.2/3-	EGS12-200-	EGS12.1-	EGS12Z-	16-6
EGS11.2/3-	EGS12-200-	EGS12.2-	EGS12Z2-	16-7
	USR12-*		MSR12-	16-4
	LSR12-	LDW12-	LRW12D-	16-5
	MTR12-400		MTR12-	16-7

### Single-phase energy meters

Series 11	Series 12	Changes	Up-to-date	Page
WSZ12-20A	WSZ12-32A	WSZ12DE-32A	WSZ15DE-32A	10-12
WSZ12B-20A	WSZ12B-25A	WSZ12D-32A	WSZ15D-32A	10-11
WSZ12-65A	WSZ12B-65A	WSZ12D-65A	WSZ15D-65A	10-11
	EWZ12-32A	WSZ12DE-32A	WSZ15DE-32A	10-12

### Three-phase energy meters

Series 11	Series 12	Changes	Up-to-date	Page
DSZ12B-3x65A	DSZ12D-3x65A	DSZ12D-3x80A	DSZ15D-3x80A	10-3
DSZ12B-T2-3x65A	DSZ12D-3x65A	DSZ12D-3x80A	DSZ15D-3x80A	10-3
EDZ12B-3x65A	DSZ12D-3x65A	DSZ12D-3x80A	DSZ15D-3x80A	10-3
EDZ12B-T2-3x65A	DSZ12D-3x65A	DSZ12D-3x80A	DSZ15D-3x80A	10-3
EDZ12WB-5A		DSZ12WD-3x5A	DSZ15WD-3x5A	10-5
EDZ12WS-5A		DSZ12WD-3x5A	DSZ12WD-3x5A	10-5

### On/off switches, momentary contact switches, indicator lights

Series 11	Series 12	Changes	Up-to-date	Page
	PK12-3-		P3K12-	14-9

\* If controlled only by a LS and/or WS the USR12- can also be replaced by a LRW12D-. The MSR12- needs a multi sensor MS12.

## For Eltako series 8, 9 and 60 in comparison with the up-to-date series 81, 91 and 61.

### Control relays

Series 60	Series 61	Changes	Up-to-date	Page
ER60-	ER61-		ER61-	12-9

### Impulse switches/Staircase time switches/Off-delay timers

Series 60	Series 61	Changes	Up-to-date	Page
ES60-	ES61-		ES61-	11-10
ES60.1-	ES61.9-	ESV61-	ESR61NP-	11-11
	ESD61-		EUD61NPN-	9-21
EZ60/TLZ60-	TLZ61-		TLZ61NP-230V	15-8
	TLZ61.1-.4-	TLZ61NP-8..230V UC	TLZ61NP-230V+UC	15-9
EZ60.2/NLZ60-	NLZ61-		NLZ61NP-230V	15-12
	NLZ61.1-	NLZ61NP-8..230V UC	NLZ61NP-UC	15-12

### Impulse switches/Switching relays

Series 9	Series 91	Changes	Up-to-date	Page
1S9-	S91-100-		S91-100-	18-4
1R9-	R91-100-		R91-100-	19-3
Series 8	Series 81	Changes	Up-to-date	Page
2S8-	S81-002-		S81-002-	18-4
WS8-	S81-002-		S81-002-	18-4
SS8-	SS81-002-		ESR61M-UC	11-12
GS8-	GS81-002-		ESR61M-UC	11-12
2R8-	R81-002-		R81-002-	19-3
WR8-	R81-002-		R81-002-	19-3
RR8-	R81-002-		R81-002-	19-3

## Warranty regulations for the electrical trades in Germany

Since 1956 we offer a warranty period of 2 years for all Eltako products. Since 2004 the following improved warranty regulations applied for the electrical trades in Germany on the basis of an agreement between the ZVEI, VEG and ZVEH.

- **Products bearing the label ELTAKO delivered after 1.1.2019 are subject to an extended warranty period of 5 years from the data of manufacture.**
- If a complaint for defective products is received within the warranty period, ELTAKO waives the submission of evidence for the origin of the defect. The customer must return the defective parts to ELTAKO free of charge.
- In exchange, on acknowledgement of the defective products, ELTAKO will supply replacement parts free of charge as soon as possible. If it is not possible to deliver the same product due to a model upgrade or as a result of technical progress, ELTAKO will deliver replacement products of identical type and quality.
- In return, the electrical trade contractor waives the refunding of all other costs of the exchange of defective products.

With this simplified handling, the previously established practice continues, an occurring product defect is eliminated quickly, inexpensively and efficiently. Obviously the electrical trade contractor may also request a warranty processing in strict accordance with the legal provisions of the law of obligations.

## Terms of delivery

We exclusively deliver to the general conditions for products and services of the (German) electrical industry, as at January 2018, and to our current price list.



Only a trained electrician may install our switchgear, power supply units and energy meters, otherwise there is a risk of fire or electric shock. It is therefore prohibited to sell to other customers for this reason otherwise the risk passes to the seller.

## Index

Type	Meaning	Chapter	Type	Meaning	Chapter
<b>A</b>					
A2Z12-UC	Analogue settable 2-stage ON-delay	13-8	ER12-	Switching relay	12-4, 12-7
AFZ	Scanner for Ferraris meter	1-8, 6-13, 10-19	ER12DX-UC	Switching relay	12-3
AIR	IR scanner for energy meters	1-9, 6-13, 10-20	ER61-UC	Switching relay	12-9
APPModule	Multimedia (Sonos) EnOcean gateway	2-6	ES12-110-UC	Impulse switch with integrated relay function	11-5
AR12DX-230V	Current relay	14-6	ES12-200-UC	Impulse switch with integrated relay function	11-4
AR65/5,2-wg	Adapter frame	8-20	ES12DX-UC	Impulse switch with integrated relay function	11-3
AR65/4,8-wg	Adapter frame	8-20	ES12Z-110-UC	Impulse switch with integrated relay function	11-8
AR65/3,4-wg	Adapter frame	8-20	ES12Z-200-UC	Impulse switch with integrated relay function	11-8
AR65/2,8-wg	Adapter frame	8-20	ES61-UC	Impulse switch with integrated relay function	11-10
AR65/2,5-wg	Adapter frame	8-20	ES75-12...24V UC	Impulse switch for installation in lighting fittings	11-12
AVZ12DX-UC	AV operate delay	13-5	ESB61ZK-230V	Actuator	2-8
<b>B</b>					
B4T55-	Bus pushbutton with up to 4 signals	7-15	ESR12DDX-UC	Multifunction impulse switch with integrated relay function	11-7, 12-6
B4T65-wg	Bus pushbutton with up to 4 signals	2-5, 7-7	ESR12NP-230V+UC	Impulse switch with integrated relay function	11-6, 12-5
B4FT65-wg	Bus flat pushbutton with up to 4 signals	2-5, 7-11	ESR12Z-4DX-UC	Impulse switch with integrated relay function	11-9
BBH65/12VDC	Bus motion/brightness sensor	8-21	ESR61M-UC	Multifunction Impulse Switch with integrated relay function	11-12, 12-10
BBV14	Bus jumper connector	1-41	ESR61NP-230V+UC	Impulse switch with integrated relay function	11-11, 12-9
BGW14	RS485 bus gateway	1-7	ETR61NP-230V	Isolating relay	12-11
BLA55-	Blind cover	8-7	ETR61NP-230V+FTK	Isolating relay with window contact	12-12
BLA65F-wg	Blind cover	8-7	EUD12D-UC	Multifunction universal dimmer switch	9-4
BLA65-wg	Blind cover	8-7	EUD12DK/800W-UC	Universal dimmer switch with rotary knob	9-6
BLF-	Blind cover	8-8	EUD12F	Universal dimmer switch	9-5
BPB	Blisterpack shading	2-4	EUD12NPN-UC	Universal dimmer switch	9-3
BPB55	Blisterpack shading	2-4	EUD61M-UC	Multifunction universal dimmer switch	9-23
BPD	Blisterpack dimming	2-2	EUD61NP-230V	Universal dimmer switch	9-19
BPD55	Blisterpack dimming	2-3	EUD61NPL-230V	Universal dimmer switch, without N connection, especially for LED	9-20
BPS	Blisterpack switching	2-2	EUD61NPN-230V	Universal dimmer switch	9-22
BPS55	Blisterpack switching	2-3	EUD61NPN-UC	Universal dimmer switch	9-21
BTR65H/12VDC	Bus temperature controller with hand wheel	8-21	EVA12-32A	Energy consumption indicator	10-16
BUTH65D/12VDC	Bus thermo clock/hygrostat with display	8-21	<b>F</b>		
BW3	Mounting brackets	7-24	F1FT65-wg	Wireless flat pushbutton	7-8
BZR12DDX-UC	Operating hours impulse counter	14-5	F2FZT65B-wg	Wireless 2-way central control flat pushbutton with battery	7-8
<b>D</b>					
DAT71	Data transformer	3-39	F2L14	2-speed fan relay	1-28
DCM12-UC	DC motor relay	16-7	F2T65-wg	Wireless 2-way central control flat pushbutton	7-4
DS12	Spacer	2-16	F3Z14D	Bus meter collector	1-8, 10-19
DS14	Spacer	1-42	F4FT65-wg	Wireless flat pushbutton	7-8
DSS	German fused safety socket	8-8, 8-9	F4FT65B-wg	Wireless flat pushbutton	7-9
DSS+SD055-	German fused safety socket with socket outlet front	8-9	F4HK14	4-channel heating/cooling relay	1-27
DSS+SD0F	German fused safety socket with socket outlet front	8-9	F4SR14-LED	4-channel impulse switch	1-13
DSS65-wg	German fused safety socket	8-8	F4T55B-	Wireless pushbutton	7-12
DSS65F-wg	German fused safety socket	8-8	F4T65-wg	Pushbutton without battery or wire	7-3
DSZ14DRS-3x65A	RS485 bus three-phase energy meter	1-32, 10-8	F4T65B-wg	Pushbutton without wire	7-3
DSZ14WDRS-3x5A	RS485 bus two way three-phase energy meter	1-33, 10-9	F6T55B-wg	Wireless 6-way pushbutton	7-3
DSZ15D-3x80A	Three-phase energy meter	10-3	F6T65B-wg	Wireless 6-way pushbutton	7-12
DSZ15DE-3x80A	Three-phase energy meter	10-4	FA200	High-performance receive antenna	1-2, 2-15
DSZ15DM-3x80A	Drehstromzähler	10-6	FA250	Wireless antenna	1-2, 5-12, 2-15
DSZ15WD-3x5A	Three-phase energy meter	10-5	FA250-gw	Wireless antenna	1-2, 5-12, 2-15
DSZ15WDM-3x5A	M-bus CT operated three-phase energy meter	10-7	FABH130/230V-wg	Wireless outdoor motion sensor	6-12
DTD55-230V	Rotary dimmer knob	9-17	FABH65S-wg	Wireless outdoor motion sensor	6-2
DTD55L-230V	Rotary dimmer knob without N connection	9-18	FAE14LPR	2-channel single room control for heating/cooling	1-38
DTD65-230V	Rotary dimmer knob	9-13	FAE14SSR	Noiseless 2-channel single room control for heating/cooling	1-37
DTD65F-230V	Rotary dimmer knob, flat	9-15	FAFT60	Wireless outdoor humidity temperature sensors	6-13
DTD65FL-230V	Rotary dimmer knob without N connection, flat	9-16	FAG65-wg	Wireless antenna	2-15
DTD65L-230V	Rotary dimmer knob without N connection	9-14	FAH60	Wireless outdoor brightness sensor	6-14
DW-B4FT65	Double rocker for bus flat pushbutton E-design	8-14	FAH60B	Wireless outdoor brightness sensor with batteries	6-14
DW-B4T55	Double rocker for bus pushbuttons	8-15	FAH65S-wg	Wireless outdoor brightness sensor	6-2
DW-B4T65	Double rocker for bus pushbutton E-design	8-14	FAM14	Wireless antenna module	1-2
DW-F4FT65B	Double rocker for wireless pushbutton E-design with batteries	8-14	FAM-USB	Wireless USB receiver/transmitter	10-14
DW-F4T55B	Double rocker for wireless pushbuttons 55x55 mm	8-15	FARP60-230V	Wireless outdoor repeater	2-13
DW-F4T65	Double rocker for wireless pushbutton E-design	8-14	FASM60-UC	Wireless outdoor transmitter module	2-14
DW-F4T65B	Double rocker for wireless pushbutton E-design with batteries	8-14	FAV10	Antenna extension 10 m	2-15
DW-FF8	Double rocker for wireless remote control	8-16	FAV5	Antenna extension 5 m	2-15
DW-FHS/FMH4	Double rocker for wireless hand-held transmitters and mini hand-held transmitters	8-16	FB65B-wg	Wireless motion sensor	6-2
DW-FMT55/4	Double rocker for wireless mini pushbuttons	8-15	FBA14	RS485 bus coupler	1-41
DW-FT4CH	Double rocker for wireless pushbuttons Swiss Design	8-15	FBH55SB-wg	Wireless motion sensor	6-10
DW-FT4F	Double rocker for wireless flat pushbuttons	8-15	FBH65B-wg	Wireless motion/brightness sensor	6-3
DW-FT55	Double rocker for wireless pushbuttons 55x55 mm	8-15	FBH65SB	Wireless motion/brightness sensor	6-3
DW-FT55R	Double rocker for wireless pushbuttons 55x55 mm for Busch Reflex and Duro	8-15	FBH65S-wg	Wireless motion/brightness sensor	6-3
<b>E</b>					
EAP165	IP gateway	5-14	FBH65TFB-wg	Wireless motion detector and brightness sensor with temperature	6-4
EAW12DX-UC	Fleeting NO contact and fleeting NC contact	13-5	FBHF65SB-wg	Wireless motion/brightness sensor	6-9
EGS12Z2-UC	Impulse group switch	16-7	FCO2TF65-wg	CO <sub>2</sub> +temperature+ humidity sensor	6-4
EGS12Z-UC	Impulse group switch	16-6	FDG14	DALI gateway	1-6
EGS61Z-230V	Impulse group switch	16-8	FDG71L-230V	Wireless DALI gateway	3-36
ELD61/12-36VDC	LED dimmer switch	9-24	FDT55B-wg	Wireless rotary dimmer switch	7-13
			FDT65B-wg	Wireless rotary dimmer switch	7-4
			FDTF65B-wg	Wireless rotary dimmer switch, flat	7-9
			FEA65D-wg	Wireless energy consumption indicator with display	10-15
			FEM	Wireless receiver antenna module	1-3

## Index

Type	Meaning	Chapter	Type	Meaning	Chapter
FEM65-wg	Wireless receiver antenna module	1-3	FSDG14	Energy meter data gateway	1-9, 10-20
FF8-al/anso	Wireless remote control	7-26	FSG14/1-10V	RS485 bus dimmer switch controller for electronic ballast 1-10V	1-21
FFC65D/230V-wg	Wireless window controller with display	6-4	FSG71/1-10V	Wireless actuator dimmer switch controller	3-35
FFD-al/anso	Wireless remote control	7-26	FSHA-230V	Wireless socket heating actuator	3-45
FFG7B-rw	Wireless window handle sensor	7-23	FSM14-UC	Wireless 4-fold transmitter module	1-7
FFR14	Mains disconnection relay	1-24	FSM60B	Wireless transmitter module with batteries for water sensor and pushbutton	6-15, Z-14
FFR61-230V	Mains disconnection relay	3-22	FSM61-UC	Wireless 2-fold transmitter module	3-24
FFT55Q	Wireless flat pushbutton without battery or wire	7-20	FSNT14-12V/12W	Power supply unit	1-42
FFT65B-wg	Wireless humidity temperature sensor	6-5	FSR14-2x	RS485 bus actuator 2-channel impulse switch	1-12
FFTA65DL-wg	Wireless flat pushbutton actuator dimmer w/o N connection	3-47, 7-10	FSR14-4x	RS485 bus actuator 4-channel impulse switch	1-11
FFTA65D-wg	Wireless flat pushbutton actuator dimming	3-47, 7-9	FSR14-LED	RS485 bus actuator 4-channel impulse switch	1-13
FFTA65J-wg	Wireless flat pushbutton actuator shading	3-47, 7-10	FSR14SSR	RS485 bus actuator noiseless 2-channel impulse switch	1-14
FFTA65L-wg	Wireless flat pushbutton actuator light switch	3-47, 7-10	FSR61/8-24V UC	Wireless actuator impulse switch with integr. relay function	3-4
FFTE-rw	Wireless window touch contact with energy generator	7-24	FSR61-230V	Wireless actuator impulse switch with integr. relay function	3-5
FFT65B-wg	Wireless humidity temperature sensor	6-9	FSR61G-230V	Wireless actuator noiseless impulse switch with integr. relay function	3-6
FGM	Wireless module	3-46	FSR61LN-230V	Wireless actuator impulse switch with integr. relay function for bipolar switching of L and N	3-7
FGSM14	Wireless GSM module	1-5, 5-9	FSR61NP-230V	Wireless actuator impulse switch with integr. relay function	3-2
FGSM14E	Wireless GSM module Export	1-5, 5-9	FSR61NP-230V+FTK-rw	Wireless actuator with wireless window contact	3-3
FGSM-Comm	Data communication packet M2M for the FGSM14E, flat for 2 years	1-5, 5-9	FSR61VA-10A	Wireless actuator impulse switch with integr. relay function with current measurement	3-8, 10-21
FGW14	RS485 bus gateway	1-4	FSR70S-230V-rw	Wireless impulse switch with integr. relay function as cord switch	3-40
FGW14-USB	RS485 bus gateway with USB connection	1-4	FSR71-2x-230V	Wireless 2-channel impulse switch with integr. relay function	3-28
FHK14	Wireless heating/cooling relay	1-26	FSR71NP-230V	Wireless impulse switch with integr. relay function	3-26
FHK61-230V	Wireless actuator heating/cooling relay	3-19	FSR71NP-2x-230V	Wireless 2-channel impulse switch with integr. relay function	3-27
FHK61SSR-230V	Wireless actuator heating/cooling relay with solid state relay	3-21	FSR71NP-4x-230V	Wireless 4-channel impulse switch with integr. relay function	3-29
FHK61U-230V	Wireless actuator heating relay for valves+heat circulating pumps	3-20	FSRP-230V	Wireless socket repeater	Z-11
FHM175	HF ground for FA250	Z-15	FSS12-12VDC	Wireless energy meter transmitter module	10-14
FHS12-	Wireless hand-held transmitter with 3 double rockers	7-27	FSSA-230V	Wireless socket switching actuator	3-42
FHS8-	Wireless hand-held transmitter with 2 double rockers	7-26	FSU14	RS485 bus display timer	1-29
FIFT65S-wg	Wireless indoor humidity temperature sensor	6-5	FSU55D/230V-wg	Wireless timer with display	6-10
FIH65B-wg	Wireless indoor brightness sensor	6-5	FSU65D/230V-wg	Wireless timer with display	6-6
FIH65S-wg	Wireless indoor brightness sensor	6-6	FSUD-230V	Wireless actuator socket universal dimmer switch	3-44
FIW65-wg	Wireless infrared converter	7-6	FSVA-230V	Wireless actuator socket switching actuator with current measurement	3-43, 10-21
FIW-USB	Wireless infrared converter with USB port	7-21	FT4B-	Wireless pushbutton Niko Belgium	7-16
FK	Window contact	12-12	FT4BL-lw	Wireless pushbutton Legrand Belgium	7-16
FKF65-wg	Wireless key card switch	7-6	FT4BS-ws	Wireless pushbutton Schneider Belgium	7-16
FKLD61	Wireless actuator constant current LED dimmer switch	3-13	FT4CH-	Wireless pushbutton Swiss Design w/ rocker and double rocker	7-17
FKS-E	Wireless small actuator	6-16	FT4CH+2P-	2P- wireless pushbutton Feller Swiss, laser engraved	7-17
FKS-MD15	Wireless small actuator	6-16	FT4F-	Wireless flat pushbutton without battery or wire with rocker and double rocker	7-21
FLC61NP-230V	Wireless actuator light controller	3-10	FT4S-ws	Wireless pushbutton Sweden	7-17
FLD61	Wireless actuator PWM LED dimmer switch	3-14	FT55-	Wireless pushbutton without battery or wire with rocker and double rocker	7-12
FLUD14	Capacity enhancer for universal dimmer switch FUD14/800W	1-19	FT55AH-	Wireless pushbutton Berker and Merten partly	7-19
FME14-	Wireless modular single room control	1-36	FT55EL-ws	Wireless pushbutton Elko Finland	7-18
FMH1W-sz	Wireless waterproof mini hand-held transmitter	7-29	FT55ES-wg	Wireless pushbutton Exxact Sweden	7-18
FMH2-	Wireless mini hand-held transmitter	7-27	FT55R-	Wireless pushbutton Busch	7-19
FMH2S-	Wireless mini hand-held transmitter for key ring	7-28	FT55RS-alpinweiB	Wireless pushbutton Jussi Sweden	7-18
FMH2S-wr	Wireless mini hand-held transmitter for calling systems	7-29	FTA55DL-wg	Wireless pushbutton actuator dimmer w/o N connection	3-47, 7-13
FMH4-	Wireless mini hand-held transmitter with double rocker	7-28	FTA55D-wg	Wireless pushbutton actuator dimming	3-47, 7-13
FMH4S-	Wireless mini hand-held transmitter w/ double rocker for key ring	7-28	FTA55J-wg	Wireless pushbutton actuator shading	3-47, 7-13
FMH8-	Wireless mini hand-held transmitter, 8 signals	7-27	FTA55L-wg	Wireless pushbutton actuator light switch	3-47, 7-13
FMP3	Wireless MP3 player	Z-7	FTA55DL-wg	Wireless pushbutton actuator dimmer w/o N connection	3-47, 7-5
FMS14	Multifunction impulse switch with integrated relay function	1-15	FTA65D-wg	Wireless pushbutton actuator dimming	3-47, 7-4
FMS61NP-230V	Wireless actuator multifunction impulse switch	3-9	FTA65J-wg	Wireless pushbutton actuator shading	3-47, 7-5
FMSR14	Multifunction sensor relay	1-30	FTA65L-wg	Wireless pushbutton actuator light switch	3-47, 7-5
FMT55/2-	Wireless mini pushbuttons without battery or wire	7-20	FTD14	Wireless telegram duplicator	1-35
FMT55/4-	Wireless mini pushbuttons without battery or wire with double rocker	7-20	FTE...	Wireless pushbutton inserts with EnOcean energy generators	Z-10
FMZ14	Multifunction time relay	1-22	FTF65S-wg	Wireless temperature sensor	6-6
FMZ61-230V	Multifunction time relay	3-18	FTFB	Wireless temperature humidity sensor	6-17
FPE-	Wireless position switch	7-24	FTK-	Wireless window/door contact	7-22
FLG14	Wireless Powerline gateway	4-2	FTKB-gr	Wireless window/door contact	7-22
FPLT14	Wireless Powerline tunnel gateway	4-2	FTKB-hg	Wireless window/door contact	7-22
FPP12	Wireless Powernet phase coupler	Z-5	FTKB-rw	Wireless window/door contact with battery	7-22
FR12-230V	Mains disconnection relay	14-3	FTKE-rw	Wireless window contact with energy generator	7-24
FR61-230V	Mains disconnection relay	14-4	FTN14	Wireless staircase lighting time delay switch	1-23
FRGBW71L	PWM dimmer switch for LED	3-37	FTN61NP-230V	Wireless staircase lighting time delay switch	3-17
FRP14	Wireless repeater	1-34	FTR55DSB-wg	Wireless temperature controller with display	6-11
FRP61-230V	Wireless repeater	Z-11	FTR55HB-wg	Wireless temperature controller with battery	6-4
FRP65/230V-wg	2 level wireless repeater	Z-12	FTR65DSB-wg	Wireless temperature controller with display	6-7
FRP70-230V	Wireless repeater	Z-12	FTR65HB-wg	Wireless temperature controller with battery	6-7
FRW-ws	Wireless smoke alarm	6-14	FTR65HS-wg	Wireless temperature controller with hand wheel	6-8
FSAF-gr	Cover foil grey	8-13	FTR65SB-wg	Wireless temperature controller with solar cell and battery	6-7
FSB14	Wireless actuator for shading elements and roller shutters	1-16	FTR78S-wg	Wireless temperature controller with rotary knob	6-12
FSB61-230V	Wireless actuator for shading elements and roller shutters	3-15			
FSB61NP-230V	Wireless actuator for shading elements and roller shutters	3-16			
FSB71-230V	Wireless actuator for shading elements and roller shutters	3-30			
FSB71-24V DC	Wireless actuator for shading elements and roller shutters	3-32			
FSB71-2x-230V	Wireless actuator for shading elements 2 channels	3-31			

## Index

Type	Meaning	Chapter	Type	Meaning	Chapter
<b>FTR86B-ws</b>	Wireless temperature controller	<b>6-12</b>	<b>MTR12-UC</b>	Actuator motor isolating relay	<b>16-7</b>
<b>FTRF65HB-wg</b>	Wireless temperature controller	<b>6-9</b>	<b>MTR61-230V</b>	Actuator motor isolating relay	<b>16-9</b>
<b>FTRF65SB-wg</b>	Wireless temperature controller	<b>6-10</b>	<b>N</b>		
<b>FTS14EM</b>	Wireless input module	<b>2-3</b>	<b>NLZ12NP-230V+UC</b>	Off-delay timer	<b>15-11</b>
<b>FTS14FA</b>	Wireless output module	<b>2-7</b>	<b>NLZ61NP-230V</b>	Off-delay timer	<b>15-12</b>
<b>FTS14GBZ</b>	Gateway	<b>2-8</b>	<b>NLZ61NP-UC</b>	Off-delay timer	<b>15-12</b>
<b>FTS14KS</b>	FTS14 communication interface	<b>2-4</b>	<b>NR12-001-3x230V</b>	Mains monitoring relay	<b>14-7</b>
<b>FTS14TG</b>	Pushbutton gateway	<b>2-5</b>	<b>NR12-002-3x230V</b>	Mains monitoring relay	<b>14-7</b>
<b>FTS61BTK</b>	Bus pushbutton coupler	<b>2-6</b>	<b>P</b>		
<b>FTS61BTKL</b>	Bus pushbutton coupler for feedback LED	<b>2-6</b>	<b>P3K12-230V</b>	Phase annunciator	<b>14-9</b>
<b>FTVW</b>	Wireless pushbutton encryption rocker	<b>8-6</b>	<b>P10</b>	Wireless level meter	<b>2-10</b>
<b>FUA12-230V</b>	Wireless universal actuator with exchangeable antenna	<b>1-43</b>	<b>PCT14</b>	PC tool for Series 14 and Series 71	<b>1-10</b>
<b>FUD14</b>	RS485 bus universal dimmer switch	<b>1-17</b>	<b>PK18</b>	Sealing cap	<b>2-17</b>
<b>FUD14/800W</b>	RS485 bus universal dimmer switch up to 800W	<b>1-18</b>	<b>PL-AMD10V</b>	Decentralised dimmer actuator	<b>4-7</b>
<b>FUD61NP-230V</b>	Wireless universal dimmer switch without N	<b>3-11</b>	<b>PL-FTGW</b>	Powerline pushbutton gateway	<b>4-3</b>
<b>FUD61NPN-230V</b>	Wireless universal dimmer switch	<b>3-12</b>	<b>PL-SAM1L</b>	Decentralised actuator with sensor input	<b>4-4</b>
<b>FUD70S-230V</b>	Wireless universal dimmer switch as cord switch	<b>3-41</b>	<b>PL-SAM1LT</b>	Decentralised TLZ actuator with sensor input	<b>4-8</b>
<b>FUD71-230V</b>	Wireless universal dimmer switch	<b>3-33</b>	<b>PL-SAM2</b>	Decentralised Venetian blind actuator with sensor inputs	<b>4-5</b>
<b>FUD71L/1200W-230V</b>	Wireless universal dimmer switch	<b>3-34</b>	<b>PL-SAM2L</b>	Decentralised actuator with sensor inputs	<b>4-4</b>
<b>FUTH55D/230V-wg</b>	Wireless thermo clock/hygrostat mit display	<b>6-11</b>	<b>PL-SAMDU</b>	Decentralised universal dimmer actuator with sensor input	<b>4-6</b>
<b>FUTH65D/230V-wg</b>	Wireless thermo clock/hygrostat mit display	<b>6-8</b>	<b>PL-SAMTEMP</b>	Powerline temperature controller	<b>4-9</b>
<b>FVST</b>	Wireless encryption plug	<b>7-25</b>	<b>PL-SM1L</b>	Decentralised sensor input	<b>4-8</b>
<b>FWA65D-wg</b>	Wireless weather data display	<b>6-8</b>	<b>PL-SM8</b>	Decentralised 8-channel sensor input	<b>4-9</b>
<b>FWG14MS</b>	Wireless weather data gateway	<b>1-6</b>	<b>PL-SW-PROF</b>	Coupling element for Software SIENNA@-Professional	<b>4-10</b>
<b>FWS60</b>	Water sensor for FSM60B	<b>6-15</b>	<b>PowerSafeIV</b>	Smart Home central GFVS-PowerSafeIV	<b>5-7</b>
<b>FWS61-24V DC</b>	Wireless weather data transmitter module	<b>1-30, 3-25</b>	<b>PTN12-230V</b>	Test Pushbutton for emergency lighting with off-delay	<b>13-10</b>
<b>FWS81</b>	Wireless water probe	<b>6-15</b>	<b>Q</b>		
<b>FWWKW71L</b>	PWM dimmer switch for LED	<b>3-38</b>	<b>QR1...-</b>	Q-Design, single frames	<b>8-4</b>
<b>FWZ12-16A</b>	Wireless single-phase energy meter transmitter module	<b>10-18</b>	<b>QR2...-</b>	Q-Design, double frames	<b>8-5</b>
<b>FWZ12-65A</b>	Wireless single-phase energy meter transmitter module	<b>10-18</b>	<b>QR3...-</b>	Q-Design, triple frames	<b>8-5</b>
<b>FWZ14-65A</b>	Wireless single-phase energy meter transmitter module	<b>1-31, 10-17</b>	<b>R</b>		
<b>FWZ61-16A</b>	Wireless single-phase energy meter transmitter module	<b>10-17</b>	<b>R-</b>	Single frame for wireless pushbuttons	<b>8-3</b>
<b>FZK14</b>	Wireless time relay for card switch or smoke alarm	<b>1-25</b>	<b>R12-020-230V</b>	2-pole electromechanical switching relay	<b>19-2</b>
<b>FZK61NP-230V</b>	Wireless time relay for card switch or smoke alarm	<b>3-23</b>	<b>R12-100-12V</b>	1-pole electromechanical switching relay	<b>19-2</b>
<b>FZS65-wg</b>	Wireless pull switch	<b>7-6</b>	<b>R12-100-12V DC</b>	1-pole electromechanical switching relay	<b>19-2</b>
<b>FZT55-wg</b>	Wireless 2-way central pushbutton	<b>7-14</b>	<b>R12-100-230V</b>	1-pole electromechanical switching relay	<b>19-2</b>
<b>G</b>			<b>R12-100-24V</b>	1-pole electromechanical switching relay	<b>19-2</b>
<b>GBA12</b>	Housings for operating instructions	<b>2-17</b>	<b>R12-100-24V DC</b>	1-pole electromechanical switching relay	<b>19-2</b>
<b>GBA14</b>	Housings for operating instructions	<b>1-42, 2-17</b>	<b>R12-100-8V</b>	1-pole electromechanical switching relay	<b>19-2</b>
<b>GFVS 4.0</b>	Wireless Building Visualisation and Control Software	<b>5-8</b>	<b>R12-110-12V</b>	2-pole electromechanical switching relay	<b>19-2</b>
<b>GFVS-Client</b>	License to activate one additional GFVS client	<b>5-10</b>	<b>R12-110-12V DC</b>	2-pole electromechanical switching relay	<b>19-2</b>
<b>GFVS-Comm</b>	Data communication packet for the GFVS-Safe II GSM	<b>5-10</b>	<b>R12-110-230V</b>	2-pole electromechanical switching relay	<b>19-2</b>
<b>GLE</b>	Base load	<b>14-4</b>	<b>R12-110-24V</b>	2-pole electromechanical switching relay	<b>19-2</b>
<b>H</b>			<b>R12-110-24V DC</b>	2-pole electromechanical switching relay	<b>19-2</b>
<b>HDR-30-5</b>	MeaWell power supply unit 5V/15W for IP-ConIV	<b>5-12</b>	<b>R12-110-8V</b>	2-pole electromechanical switching relay	<b>19-2</b>
<b>HP1</b>	Halteplatte mit Schrauben	<b>11-14, 11-15</b>	<b>R12-200-12V</b>	2-pole electromechanical switching relay	<b>19-2</b>
<b>I</b>			<b>R12-200-12V DC</b>	2-pole electromechanical switching relay	<b>19-2</b>
<b>IP-Cam</b>	IP camera with motion detector	<b>2-6</b>	<b>R12-200-230V</b>	2-pole electromechanical switching relay	<b>19-2</b>
<b>K</b>			<b>R12-200-24V</b>	2-pole electromechanical switching relay	<b>19-2</b>
<b>K81</b>	Surface cap	<b>2-16</b>	<b>R12-200-24V DC</b>	2-pole electromechanical switching relay	<b>19-2</b>
<b>K9</b>	Surface cap	<b>2-16</b>	<b>R12-200-8V</b>	2-pole electromechanical switching relay	<b>19-2</b>
<b>KLD61</b>	Constant current LED dimmer switch	<b>9-26</b>	<b>R1E-wg</b>	Single frame in E-Design	<b>8-2</b>
<b>KM12</b>	Auxiliary contact	<b>18-3</b>	<b>R12-220-230V</b>	4-pole electromechanical switching relay	<b>19-2</b>
<b>KNX ENO 626</b>	EnOcean KNX gateway	<b>2-8</b>	<b>R12-310-230V</b>	4-pole electromechanical switching relay	<b>19-2</b>
<b>KNX ENO 632</b>	EnOcean KNX gateway	<b>2-9</b>	<b>R12-400-230V</b>	4-pole electromechanical switching relay	<b>19-2</b>
<b>KNX ENO 636</b>	EnOcean KNX gateway	<b>2-9</b>	<b>R1F-</b>	Single frame for flat pushbuttons	<b>8-3</b>
<b>KR09-12V UC</b>	Coupling relay	<b>12-8</b>	<b>R1UE55-wg</b>	Single universal frame in E-Design	<b>8-3</b>
<b>KR09-230V</b>	Coupling relay	<b>12-8</b>	<b>R2-</b>	Double frame for wireless pushbuttons	<b>8-3</b>
<b>KR09-24V UC</b>	Coupling relay	<b>12-8</b>	<b>R2E-wg</b>	Double frame in E-Design	<b>8-2</b>
<b>L</b>			<b>R2F-</b>	Double frame for flat pushbuttons	<b>8-3</b>
<b>LGI</b>	Laser engraving individually, create new pictogram	<b>8-14, 8-15, 8-16</b>	<b>R2UE-wg</b>	Double universal frame in E-Design	<b>8-2</b>
<b>LRW12D-UC</b>	Digital settable sensor relay	<b>16-5</b>	<b>R2UE55-wg</b>	Double universal frame in E-Design	<b>8-3</b>
<b>LS</b>	Light sensor	<b>16-3</b>	<b>R3-</b>	Triple frame for wireless pushbuttons	<b>8-3</b>
<b>LUD12-230V</b>	Capacity enhancer	<b>9-7</b>	<b>R3E-wg</b>	Triple frame in E-Design	<b>8-2</b>
<b>M</b>			<b>R3F-</b>	Triple frame for flat pushbuttons	<b>8-3</b>
<b>MA14</b>	Module cover	<b>1-39</b>	<b>R3UE-wg</b>	Triple universal frame in E-Design	<b>8-2</b>
<b>MFZ12-230V</b>	Analogue settable multifunction time relay	<b>13-7</b>	<b>R3UE55-wg</b>	Triple universal frame in E-Design	<b>8-3</b>
<b>MFZ12DDX-UC</b>	Digital settable multifunction time relay	<b>13-3</b>	<b>R4E-wg</b>	4-way frame in E-Design	<b>8-2</b>
<b>MFZ12DX-UC</b>	Analogue settable multifunction time relay	<b>13-4</b>	<b>R81-002-230V</b>	2-pole electromechanical switching relay	<b>19-3</b>
<b>MFZ12NP-230V+UC</b>	Analogue settable multifunction time relay	<b>13-6</b>	<b>R91-100-12V</b>	1-pole electromechanical switching relay	<b>19-3</b>
<b>MFZ12PMD-UC</b>	Fully electronic multifunction time relay	<b>9-10, 13-9</b>	<b>R91-100-230V</b>	1-pole electromechanical switching relay	<b>19-3</b>
<b>MFZ61DX-UC</b>	Analogue settable multifunction time relay	<b>13-10</b>	<b>R91-100-8V</b>	1-pole electromechanical switching relay	<b>19-3</b>
<b>MOD12D-UC</b>	Digitally adjustable motor dimmer	<b>9-9</b>	<b>RC12-230V</b>	Triple RC module	<b>2-17</b>
<b>MiniSafe</b>	Smart Home control unit	<b>5-13</b>	<b>RF1E-wg</b>	Single flat frame in E-design	<b>8-2</b>
<b>MiniSafe REG</b>	Smart Home control unit	<b>5-12</b>	<b>RF2E-wg</b>	Double flat frame in E-design	<b>8-2</b>
<b>MS</b>	Multi sensor	<b>1-30, 3-25, 6-17, 16-3</b>	<b>RF3E-wg</b>	Triple flat frame in E-design	<b>8-2</b>
<b>MSR12-UC</b>	Multifunction sensor relay	<b>16-4</b>	<b>RF4E-wg</b>	4-way flat frame in E-design	<b>8-2</b>
			<b>RLC-Glied</b>	Range extension for B4T65/B4FT65 to FTS14TG	<b>2-5</b>
			<b>RS</b>	Rain sensor	<b>16-3</b>

## Index

Type	Meaning	Chapter	Type	Meaning	Chapter
<b>RVZ12DX-UC</b>	Analogue settable time relays with release delay	13-5	<b>TSA02NC-230V</b>	Thermal actuator	1-39
<b>S</b>			<b>TSA02NC-24V</b>	Thermal actuator	1-39
<b>S+D25</b>	Screws + rawls	2-17	<b>TV65/2-wg</b>	2-hole cover for TV/RF socket for E-Design frames	8-10
<b>S09-12V</b>	Electromechanical 16A impulse switch 1-pole	18-3	<b>TV65/3-wg</b>	3-hole cover for TV/RF socket for E-Design frames	8-10
<b>S09-230V</b>	Electromechanical 16A impulse switch 1-pole	18-3	<b>TV65/4-wg</b>	4-hole cover for TV/RF socket for E-Design frames	8-10
<b>S12-100-12V</b>	Electromechanical impulse switch with 1 contact	18-2	<b>TV65F/2-wg</b>	2-hole cover for TV/RF socket for E-Design flat frames	8-11
<b>S12-100-12V DC</b>	Electromechanical impulse switch with 1 contact	18-2	<b>TV65F/3-wg</b>	3-hole cover for TV/RF socket for E-Design flat frames	8-12
<b>S12-100-230V</b>	Electromechanical impulse switch with 1 contact	18-2	<b>TV65F/4-wg</b>	4-hole cover for TV/RF socket for E-Design flat frames	8-12
<b>S12-100-24V</b>	Electromechanical impulse switch with 1 contact	18-2	<b>U</b>		
<b>S12-100-24V DC</b>	Electromechanical impulse switch with 1 contact	18-2	<b>UAE65/2-wg</b>	Cover for 2-hole UAE/IAE socket for E-Design frames	8-11
<b>S12-100-8V</b>	Electromechanical impulse switch with 1 contact	18-2	<b>UAE65F/2-wg</b>	Cover for 2-hole UAE/IAE socket for E-Design flat frames	8-12
<b>S12-110-12V</b>	Electromechanical impulse switch with 2 contacts	18-2	<b>V</b>		
<b>S12-110-12V DC</b>	Electromechanical impulse switch with 2 contacts	18-2	<b>VESA mounts</b>	For mounting GFVS-Touch on the wall	5-11
<b>S12-110-230V</b>	Electromechanical impulse switch with 2 contacts	18-2	<b>W</b>		
<b>S12-110-24V</b>	Electromechanical impulse switch with 2 contacts	18-2	<b>W-B4FT65</b>	Rocker for bus flat pushbutton E-Design	8-14
<b>S12-110-24V DC</b>	Electromechanical impulse switch with 2 contacts	18-2	<b>W-B4T55</b>	Rocker for bus pushbuttons	8-15
<b>S12-110-8V</b>	Electromechanical impulse switch with 2 contacts	18-2	<b>W-B4T65</b>	Rocker for bus pushbutton E-Design	8-14
<b>S12-200-12V</b>	Electromechanical impulse switch with 2 contacts	18-2	<b>W-F1FT65</b>	Rocker for wireless flat pushbutton	8-14
<b>S12-200-12V DC</b>	Electromechanical impulse switch with 2 contacts	18-2	<b>W-F4FT65B</b>	Rocker for wireless flat pushbutton	8-14
<b>S12-200-230V</b>	Electromechanical impulse switch with 2 contacts	18-2	<b>W-F4T55B</b>	Rocker for wireless pushbuttons 55x55mm	8-15
<b>S12-200-24V</b>	Electromechanical impulse switch with 2 contacts	18-2	<b>W-F4T65</b>	Rocker for wireless pushbutton E-Design	8-14
<b>S12-200-24V DC</b>	Electromechanical impulse switch with 2 contacts	18-2	<b>W-F4T65B</b>	Rocker for wireless pushbutton E-Design with batteries	8-14
<b>S12-200-8V</b>	Electromechanical impulse switch with 2 contacts	18-2	<b>W-FFT55Q</b>	Rocker for wireless flat pushbuttons	8-15
<b>S12-220-230V</b>	Electromechanical impulse switch with 4 contacts	18-3	<b>W-FHS/FMH2</b>	Rocker for wireless hand-held transmitters and mini hand-held transmitters	8-16
<b>S12-310-230V</b>	Electromechanical impulse switch with 4 contacts	18-3	<b>W-FMT55/2</b>	Rocker for wireless mini pushbuttons	8-15
<b>S12-400-230V</b>	Electromechanical impulse switch with 4 contacts	18-3	<b>W-FT4CH</b>	Rocker for wireless pushbuttons Swiss Design	8-15
<b>S2U12DDX-UC</b>	Digital settable timer with 2 channels	13-12	<b>W-FT4F</b>	Rocker for wireless flat pushbuttons	8-15
<b>S81-002-230V</b>	2-pole impulse switch	18-4	<b>W-FT55</b>	Rocker for wireless pushbuttons 55x55mm	8-15
<b>S91-100-12V</b>	1-pole impulse switch	18-4	<b>W-FT55R</b>	Rocker for wireless pushbuttons 55x55mm for Busch Reflex and Duro	8-15
<b>S91-100-230V</b>	1-pole impulse switch	18-4	<b>W-WT/WS55</b>	Rocker for rocker pushbutton and rocker switch 55x55mm	8-15
<b>S91-100-8V</b>	1-pole impulse switch	18-4	<b>W-WT/WS65</b>	Rocker for rocker pushbutton and rocker switch E-Design	8-14
<b>SafeIV</b>	Smart Home central GFVS-SafeIV	5-6	<b>WNT12-12VDC-12W/1A</b>	Wide-range switching power supply unit	17-2
<b>SAS-4TE</b>	Bus bars 4PU	1-40	<b>WNT12-12VDC-24W/2A</b>	Wide-range switching power supply unit	17-3
<b>SAS-5TE</b>	Bus bars 5PU	1-40	<b>WNT12-24VDC-12W/0,5A</b>	Wide-range switching power supply unit	17-2
<b>SAS-6TE</b>	Bus bars 6PU	1-40	<b>WNT12-24VDC-24W/1A</b>	Wide-range switching power supply unit	17-3
<b>SAS-7TE</b>	Bus bars 7PU	1-40	<b>WNT12-24VDC-48W/2A</b>	Wide-range switching power supply unit	17-3
<b>SAS-8TE</b>	Bus bars 8PU	1-40	<b>WP50</b>	WET.PROTECT e.nautic 50 ml spray	2-5
<b>SAS-9TE</b>	Bus bars 9PU	1-40	<b>WS</b>	Wind sensor	16-3
<b>SBR12-230V/240µF</b>	Current-limiting relays capacitive	14-8	<b>WS55-</b>	Rocker switch	7-15
<b>SBR61-230V/120µF</b>	Current-limiting relays capacitive	14-8	<b>WS65-wg</b>	Rocker switch	7-7
<b>SDS12/1-10V</b>	1-10V control dimmer switch for electronic ballast units	9-11	<b>WT55-</b>	Rocker pushbutton	7-15
<b>SDS61/1-10V</b>	1-10V control dimmer switch for electronic ballast units	9-25	<b>WT65-wg</b>	Rocker pushbutton	7-7
<b>SNT12-230V/12VDC-1A</b>	Switching power supply unit	17-4	<b>WSZ15D-32A</b>	Single-phase energy meter, with MID approval	10-10
<b>SNT12-230V/12VDC-2A</b>	Switching power supply unit	17-4	<b>WSZ15D-65A</b>	Single-phase energy meter, with MID approval	10-10
<b>SNT12-230V/24VDC-0,5A</b>	Switching power supply unit	17-4	<b>WSZ15DE-32A</b>	Single-phase energy meter, without approval	10-11
<b>SNT12-230V/24VDC-1A</b>	Switching power supply unit	17-4	<b>WSZ60D-60A</b>	Single-phase energy meter with display, MID approval, for 3-point energy meter mounting	10-13
<b>SNT14-24V/12W</b>	Switching power supply unit	17-5	<b>WZR12-32A</b>	Single-phase energy meter with reset, without approval	10-12
<b>SNT14-24V/24W</b>	Switching power supply unit	17-5	<b>X</b>		
<b>SNT14-24V/48W</b>	Switching power supply unit	17-5	<b>XR12-100-230V</b>	1-pole 25A electromechanical installation contactor	19-4
<b>SNT61-230V/12VDC-0,5A</b>	Switching power supply unit	17-6	<b>XR12-110-230V</b>	2-pole 25A electromechanical installation contactor	19-4
<b>SNT61-230V/24VDC-0,25A</b>	Switching power supply unit	3-25, 17-6	<b>XR12-200-230V</b>	2-pole 25A electromechanical installation contactor	19-4
<b>S055</b>	Table base	8-13	<b>XR12-220-230V</b>	4-pole 25A electromechanical installation contactor	19-4
<b>S065</b>	Table base	8-13	<b>XR12-310-230V</b>	4-pole 25A electromechanical installation contactor	19-4
<b>SS12-110-12V</b>	Electromechanical impulse switch with 2 contacts	18-2	<b>XR12-400-230V</b>	4-pole 25A electromechanical installation contactor	19-4
<b>SS12-110-230V</b>	Electromechanical impulse switch with 2 contacts	18-2	<b>XS12-100-230V</b>	1-pole electromechanical 25A impulse switch	18-5
<b>ST12-16A</b>	Socket outlet	2-16	<b>XS12-110-230V</b>	2-pole electromechanical 25A impulse switch	18-5
<b>STE14</b>	Power input for 230V actuators	1-40	<b>XS12-200-230V</b>	2-pole electromechanical 25A impulse switch	18-5
<b>STS14</b>	Set of jumpers	2-5	<b>XS12-220-230V</b>	4-pole electromechanical 25A impulse switch	18-5
<b>SUD12/1-10V</b>	1-10V controller for universal dimmer switches	9-12	<b>XS12-310-230V</b>	4-pole electromechanical 25A impulse switch	18-5
<b>T</b>			<b>XS12-400-230V</b>	4-pole electromechanical 25A impulse switch	18-5
<b>TAE65/3-wg</b>	Cover for 3-socket TAE for E-Design frames	8-9	<b>Z</b>		
<b>TAE65F/3-wg</b>	Cover for 3-socket TAE for E-Design flat frames	8-11	<b>ZR55/50-wg</b>	Intermediate frame 55 to 50	8-20
<b>TF-FKS</b>	Small actuator	6-16	<b>ZR65/50-wg</b>	Intermediate frame 65 to 50	8-20
<b>TF-TTB</b>	Pushbutton tracker	7-29	<b>ZR65/55-wg</b>	Intermediate frame 65 to 55	8-20
<b>TG12DX-UC</b>	Analogue settable time relays with impulse	13-5	<b>ZR65F/50-wg</b>	Intermediate frame 65F to 50	8-20
<b>TLZ12-8</b>	Staircase time switch	15-4	<b>ZR65F/55-wg</b>	Intermediate frame 65F to 55	8-20
<b>TLZ12-8plus</b>	Staircase time switch	15-3			
<b>TLZ12-9</b>	Staircase time switch	15-7			
<b>TLZ12D-plus</b>	Digital settable staircase time switch	15-6			
<b>TLZ12G-230V+UC</b>	Staircase time switch	15-5			
<b>TLZ61NP-230V</b>	Staircase time switch	15-8			
<b>TLZ61NP-230V+UC</b>	Staircase time switch	15-9			
<b>TouchIV</b>	Smart Home central GFVS-TouchIV	5-11			